G7P

SERBATOI TRASPORTABILI OMOLOGATI

TANKS FOR TRANSPORT HOMOLOGATED

CONTENITORI IN PLASTICA PER TRASPORTO LIQUIDI PERICOLOSI

PLASTIC CONTAINERS FOR TRANSPORTING HAZARDOUS FLUIDS



- IT Serbatoio idoneo al trasporto di gasolio su strada in esenzione totale secondo 1.1.3.1c ADR. Leggero, sicuro e pratico sono la definizione esatta di questo serbatoio.
 - LEGGERO: realizzato con materiale plastico di grosso spessore ma leggero, per consentirne la miglior movimentazione
 - SICURO: Tutti gli articoli G7P sono in totale esenzione ADR secondo 1. 1. 3. 1c; inoltre sono dotati di coperchio lucchettabile per evitare eventuali furti di gasolio
 - PRATICO.

PECULIARITÀ

- Capacità: 220 lt 430 lt.
- Tappo di carico con sfiato.
- Pompa 12 o 24 volt con portata di 40 l/min.
- · 4 mt di tubo flessibile con terminale pistola automatica.
- Pinze di collegamento alla batteria da 2 m.
- · Coperchio lucchettabile.
- Alloggiamento per il posizionamento di cinghie di ancoraggio ed imbocchi per il sollevamento a pieno carico con forche.

CARATTERISTICHE TECNICHE

- Capacità: 230 o 440 litri
- Dimensioni:

230 lt = 800Lx600Px700H mm

440 lt = 800Lx1200Px700H mm

- Spessore: 9 mm
- · Peso a vuoto con gruppo pompa:

230 lt = 27 Kg

440 lt = 55 Kg

- · Tappo di carico con sfiato
- Pompa 12 o 24 volt con portata di 40 l/min
- 4 mt di tubo flessibile con terminale munito di pistola automatica
- Pinze di collegamento alla batteria da 2 mt
- · Coperchio lucchettabile incluso
- Alloggiamento per il posizionamento di cinghie di ancoraggio ed imbocchi per il sollevamento a pieno carico con forche

ACCESSORI A RICHIESTA

- · Contalitri digitale
- Sonda di livello
- · Filtro impurità gasolio.

EN Tank for transporting diesel by road, subject to full exemption pursuant to ADR 1.1.3.1c. Lightweight, safe and convenient.

- Lightweight: Made of heavy duty, light plastic, easy to handle
- Safe: All G7P units are fully exempted pursuant to ADR 1.1.3.1c; they are also equipped with padlocakble covers to prevent the fuel being stolen
- Convenient.

FEATURES

- Capacity: 220 l 430 l
- · Drain cap with vent
- 12 or 24 V pump with 40 l/min delivery
- 4 m hose with automatic gun terminal
- 2 m battery cable with clamps
- · Padlockable cover
- Tie down attachment points and fork lift slots (can be lifted even fully loaded)

TECHNICAL SPECIFICATIONS

- · Capacity: 230 or 440 litres
- Dimensions:
 - 230 l = 800Lx600Px700H mm
 - 440 l = 800Lx1200Px700H mm
- · Thickness: 9 mm
- Empty weight including pump unit:
 - 230 l = 27 kg
 - 440 l = 55 kg
- Drain cap with vent
- 12 or 24 V pump with 40 l/min delivery
- 4 m hose with automatic gun terminal
- 2 m battery cable with clamps
- Padlockable cover included
- · Tie down attachment points and fork lift slots (can be lifted even fully loaded)

ACCESSORIES (ON REQUEST)

- Digital litre counter
- Level sensor
- · Diesel impurity filter



DATI TECNICI TECHNICAL INFORMATION

						G7 P
Capacità Capacity	Modello Type	Larghezza Width	Profondità Depth	Altezza Height	Peso Weight	Codice Code
litri / liter		mm	mm	mm	kg	
230	G7P F45/12 V 200	800	600	700	27	G7P 25145020
440	G7P F45/12 V 400	800	1200	700	55	G7P 44145020