

FUEL STORAGE – TRANSPORTABLE

TRANSCUBE GLOBAL

499 – 2,980 Litres

The TransCube Global is a transportable, environmentally friendly 110% bunded fuel storage tank that offers an efficient solution for onsite fuelling and auxiliary fuel supply. With its fully transportable design and ability to fuel up to three pieces of equipment simultaneously, the TransCube will save you time and can double or triple the run times of your equipment.

FEATURES

LOCKABLE EQUIPMENT CABINET

Equipment & ports are secure and spills are contained. Secure hose access enables fueling while cabinet is locked.



ACCESS MANWAY

Allows access to inner tank for easy routine maintenance and inspection.

LIFTABLE CORNER BRACKETS

Liftable by crane and easily stackable: 2 high full and 3 high empty.

INTERNAL Baffles

Designed to maximise stability when handling the tank full of fuel.

110% BUNDED

D Built-in, weather proof secondary containment eliminates the need for drip trays.

GALVANISED FRAME Reliable and secure structure with added protection from bumps, scratches & dings.

REMOVABLE INNER TANK

For routine cleaning, maintenance and inspection.



FOUR WAY FORKLIFT POCKETS

Quick and easy maneuvering and mobility.



UL 142 LISTED FOR FUEL STORAGE



UL 31A/YI DOT PERFORMANCE CERTIFICATION



kiwa Partner for progress

VLAREM



IDEAL USES & APPLICATIONS



DROP TESTED AS REQUIRED UNDER ADR

SHORT-TERM FUEL REQUIREMENT

The TransCube Global range is the ideal solution for short term onsite fuel storage. TransCubes can be supplied as a standby tank or as a complete fuel storage package - with pumping equipment.

GENERATOR & AUXILIARY EQUIPMENT

TransCube fuel tanks have the ability to quickly & efficiently connect to 3 diesel powered pieces of equipment and refuel equipment via pump at the same time. As an auxiliary fuel tank it provides longer engine running time, reducing number of site visits required for refuelling. Fuel can be dispensed by manual or electric pump, ensuring productivity & efficiency on site.

FUEL TRANSPORT

Meeting multiple worldwide transport regulations, the TransCube can transport fuel safely and efficiently anywhere you need it. By transporting fuel to site with a TransCube, you are ready to start up on arrival due to its rapid deployment. TransCubes can be easily relocated between sites, reaching even the most difficult locations.

WORK SITE SAFETY

The TransCube's unique banded design & integral equipment cabinet captures any accidental drips or spills & eliminated the need for external drip trays. TransCubes are designed for safe and easy handling whilst full - carrying multiple certifications & approvals that ensure safety for the environment and operator. With internal baffles, forklift pockets, & lift/stack corner brackets, the TransCube decreases set up & transport time.



SPECIFICATIONS	05TCG	10TCG	20TCG	30TCG
CAPACITY (NOMINAL / SAFE FILL(95%))	499 / 474 LITRES	949 / 902 LITRES	2,091 / 1,986 LITRES	2,980 / 2,831 LITRES
DIMENSIONS (L x W x H)	1,150 x 1,150 x 855 mm	1,155 x 1,155 x 1,324 mm	2,280 x 1,150 x 1,320 mm	2,296 x 1,550 x 1,323 mm
WEIGHT (EMPTY / FULL)	415 / 889 KG	540 / 1,442 KG	823 / 2,809 KG	1,100 / 3,931 KG
DESIGN APPROVALS	UL142, CAN/ULC-S601, UN DOT TRANSPORT CANADA, ADR, AS-1692 2006, ADG, VLAREM, KIWA	UL142, CAN/ULC-S601, UN DOT TRANSPORT CANADA, ADR, AS-1692 2006, ADG, VLAREM, KIWA	UL142, CAN/ULC-S601, UN DOT TRANSPORT CANADA, ADR, S-1692 2006, ADG, VLAREM, KIWA	UL142, CAN/ULC-S601, UN DOT TRANSPORT CANADA, ADR, S-1692 2006, ADG, VLAREM, KIWA

* 110% banded design that complies to Oil Storage Regulations for Businesses

ADDITIONAL RANGES

TRANSCUBE STANDBY (STATIC)

All of the flexibility and features of the TransCube Global, but in a larger capacity. The TransCube Standby range is for stationary use only and is ideal for static auxiliary applications.



MODELS:
50TCG | 4,558 LITRES
LxWxH | 2300 x 2300 x 1320

TRANSCUBE CONTRACT (TRANSPORTABLE)

TransCube Contract range offers refuelling versatility in a simplified, economic unit. This range is ideal for sites that don't require a lot of fuel, but still need efficiency and productivity.



MODELS:
025TCC | 250 LITRES
045TCC | 435 LITRES
10TCC | 880 LITRES
20TCC | 2,000 LITRES