



TECHNOMIG 240 WAVE 230V



Overview

TECHNOMIG 240 WAVE 230V

cod. 816076

MIG-MAG/FLUX/BRAZING/MMA and TIG DC-Lift multiprocess inverter welding machine controlled by a microprocessor.

The WAVE OS system makes welding operations: customisable to suit customer-specific requirements; traceable and analysable, by saving data via USB; simplified, thanks to synergic adjustment of parameters and the presence of specific programs for the materials to weld.

Features:

- 55 customisable programs,
 - continuous and pulsed functioning,
 - user-friendly interface with TFT colour screen,
 - WAVE OS operating system with pulsed welding programs for specific materials (AB Pulse for aluminium and galvanised metal sheets) and low heat transfer for thin materials (ATC).
- Complete with torch, cable and earth clamp.

Technical data

SINGLE PHASE MAINS VOLTAGE 230 V	ABSORBED CURRENT AT 60% - MAX 16 A	INOX WELDING WIRE DIAMETER 0,8 - 1 mm
MAINS FREQUENCY 50 / 60 Hz	MAX ABSORBED POWER 5 kW	ALUMINIUM WELDING WIRE DIAM. 0,8 - 1,2 mm
CURRENT RANGE 20 - 220 A	ABSORBED POWER AT 60% 2,3 kW	FLUX CORED WELDING WIRE DIAM. 0,8 - 1,2 mm
MAX CURRENT 200 A - 20%	EFFICIENCY 84 %	BRAZING WIRE DIAM. 0,8 - 1 mm



TECHNOMIG 240 WAVE 230V



CURRENT AT 60% 100 A



POWER FACTOR (cosphi) 0,7



PROTECTION DEGREE IP23



MAX NO LOAD VOLTAGE 96 V



D. USABLE ELECTRODES IN DC 1,6 - 4 mm



DIMENSIONS 62 - 26 - 49 cm



MAX ABSORBED CURRENT 32 A



STEEL WELDING WIRE DIAMETER 0,6 - 1 mm

Included Accessories



MT25 MIG TORCH 3 M - 742183