



TYPE	DIMENSIONS			
	L	F	CG SAE4-SAE3	CG SAE2-SAE1
XA 4	708	325	325	312
XB 4			329	317
SB 4			352	348
MA 4	778	375	344	331
MB 4			386	372
LA 4	843	375	389	377
LB 4			436	423

SUPPORT BEARINGS	PROTECTION DEGREE	TYPE OF CONSTRUCTION IM	DIMENSIONS
ROLLING	IP23	B2	mm

DIMENSIONS														
SAE	FLANGE						COUPLING							
	N	P	M	Z		a	SAE J620	PA	MA	Y		b	WA	WB
				No	DIA					No	DIA			
J617														
4	361.95	460	381.00	12	11	30°	10	314.32	295.28	8	11	45°	53.8	/
3	409.58	460	428.62	12	11	30°	11 1/2	352.42	333.38	8	11	45°	39.6	/
2	447.68	495	466.72	12	11	30°	14	466.72	438.15	8	14	45°	25.4	14
1	511.18	552.5	530.22	12	11	30°								

CONNECTINGS				
COUPLING	FLANGE			
	SAE J 617			
SAE J620	4	3	2	1
10	X	X		
11 1/2		O	X	X
14				X
MOST COMMON				O

= FIRST ISSUE		D. Pegoraro	I. Graizzaro	G. Peruzzi	19/09/2019
REV	DESCRIPTION	PREP'D	CHK'D	APPR'D	DATE
ECO:	HEAT TREATMENT:	MAT:		IND. ENG. CHK'D:	
JOB:	SURFACE TREATMENT:	RAW MAT. CODE:			
<b>MarelliMotori</b> Inspired solutions		DIMENSIONS WITHOUT TOLERANCES PRECISION DEGREE: (TN F 3661)		DIMENSION: mm SCALE: 1:3	WEIGHT (kg): n/a
<b>OVERALL DIMENSIONS MXB-E 225</b> SYNCHRONOUS GENERATOR				<b>M22AD210C</b>	
This document is the property of Marelli Motori S.p.A. No part of this document may be copied or reproduced in any way. This information is subject to constant review. Measurements on printed drawing are not allowed, any missed dimension or information on the drawing must be pointed out to MarelliMotori.					SHEET: 1 OF: 1