


TYPE	DIMENSIONS		
	L	F	CG
SA 4			370
SB 4	800	345	380
MA 4			415
MB 4	910	425	430
LA 4			485
LB 4	1020	480	485



SUPPORT BEARINGS	PROTECTION DEGREE	TYPE OF CONSTRUCTION IM	DIMENSIONS
ROLLING	IP23	B2	mm

DIMENSIONS														
FLANGE							COUPLING							
SAE J617	N	P	M	Z		a	SAE J620	PA	MA	Y		b	WA	WB
				No	DIA					No	DIA			
3	409.58	530	428.62	12	11.5	30°	11 1/2	352.42	333.38	8	11	45°	39.6	10
2	447.68	530	466.72	12	11.5	30°	14	466.72	438.15	8	14	45°	25.4	10
1	511.18	552	530.22	12	11.5	30°								

CONNECTINGS			
COUPLING	FLANGE		
SAE J620	SAE J617		
	3	2	1
11 1/2	o	X	X
14			o
MOST COMMON			o

= FIRST ISSUE		D. Pegoraro	I. Graizzaro	G. Peruzzi	18/09/2019
REV	DESCRIPTION	PREP'D	CHK'D	APPR'D	DATE
ECO:	HEAT TREATMENT:	MAT:		IND. ENG. CHK'D:	
JOB:	SURFACE TREATMENT:	RAW MAT. CODE:			
MarelliMotori Inspired solutions		DIMENSIONS WITHOUT TOLERANCES PRECISION DEGREE: (TN F 3661)		ATEX APPR'D:	
A2		DIMENSION: mm SCALE: 1:4		WEIGHT (kg): n/a	
OVERALL DIMENSIONS MXB-E 250 SYNCHRONOUS GENERATOR				M25AD200B	
This document is the property of Marelli Motori S.p.A. No part of this document may be copied or reproduced in any way. This information is subject to constant review. Measurements on printed drawing are not allowed, any missed dimension or information on the drawing must be pointed out to MarelliMotori.					SHEET: 1 OF: 1