

Ì

GREEN POWER GP22A/KW-C OPEN (MANUAL CONTROL UNIT)

Product price:

6.667,00 € tax excluded

Product description:

The GREEN POWER 1500 rpm generators are designed for versatile use, from construction sites to industry, from agriculture to civil protection.

Robust welded steel frames with built-in tank of variable capacity produced by Green Power, engines and alternators supplied by the most important manufacturers in the sector and cutting-edge control units are the elements to ensure generators of excellent quality.

The hoods are made of steel, which allows them to be used in tropical environments. The Green Power covers guarantee maximum accessibility for maintenance and cleaning operations.

Green Power's strong point is the design and implementation within the company, a feature that helps to reduce the time to market of the product and allows any customization.

THIS PRODUCT IS ONLY AVAILABLE IN THE AUTOMATIC CONTROL UNIT VERSION

You can choose between the versions:

-Open group with Compound-Linz alternator (automatic control unit)

-Open group with AVR-Leroy alternator (automatic power pack)

-Open group with AVR-Mecc Alte alternator (automatic power pack)

-Open genset with AVR-Stamford alternator (automatic power pack)

The image is purely indicative.

R

Product features:

Ø.

Phase: Three phase Maximum power three phase (KW): 17.6 Continuous power three phase (KW): 16 Maximum power three phase (KVA): 22 Continuous power three phase (KVA): 20 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 230 / 400 Engine: Kohler KDI 1903M **Emissions Regulations: STAGE 3A** Engine rpm (rpm): 1500 Speed governor: Mechanical Starting system: Elettrico Engine capacity (cm³): 1861 Number cylinders: 3 Cylinders' position: In line Cooling: Water Alternator: Linz E1S13MF/4, synchronous, with brushes Poles: 4 Protection degree: IP21 Fuel tank capacity (L): 60 Consumption (L/h): 4 al 75% del carico Running time (h): 15 Length (mm): 1500 Width (mm): 700 Height (mm): 1020 Dry weight (Kg): 550 Silenced: No Super silenced: No ATS Switch device : Optional Voltage regulator: Compound / AVR (optional)