



HONDA WX 15 Lightweight Water Pump

Product price:

390,00 € tax excluded

Product description:

HONDA WX15 Motor Pump Portable 25mm Fittings 1inch

HONDA WX15 water pump where it is required

HONDA WX15 The ideal choice for homeowners, gardeners and boat owners, these lightweight motor pumps are perfectly compact and easy to transport, meeting high volume and distance requirements as needed. And once the job is completed, they can be stowed away with ease.

Technical Specifications Honda WX15 Motor lightweight:

Pump type: Portable motor pump

Type of liquid handled: Clear water

Fuel: Gasoline

Maximum debris section (mm): 5

Engine: Honda GXH50, 4-stroke, OHV

Starting: Manual

Total head (m): 40

Maximum flow rate (Lt/min): 240

Maximum suction height (m): 8

Suction diameter (mm/inch): 40 - 1" ½

Outlet diameter (mm/inch): 40 - 1" ½

Pressure (Bar): 4

Autonomy (h): 1.30

Length (mm): 325

Width (mm): 275

Height (mm): 375

Dry weight (kg): 9





A HONDA WX15 Sealing System.

What makes these lightweight pumps so effective is the quality craftsmanship of the hose seals and O-rings, which prevents air from entering and resulting in vacuum leakage.

The clearance between the impeller and stator case is also designed this way. This implies not only high flow and pressure but also considerable resistance.

In addition, they can run up to 1 hour and 30 minutes without requiring gasoline refueling.

HONDA WX15 Boost Power

Also known as "total manometric head," this indicates the maximum height at which the pump forces water from the suction height to the discharge height.

These lightweight pumps allow a thrust of up to 40 m, which is roughly the length of four parked buses. A very high distance.

The "total manometric head" (A) is the maximum water lifting capacity from the suction height (B) to the discharge height (C).

Read HONDA WX15 .

The term lightweight refers only to size and not power; in fact, they are capable of moving up to 240 liters per minute. Perfect for simple jobs, the tireless 4-stroke engines allow up to 7000 rpm thrust, which is quite exceptional for their size.

Hard as stone HONDA WX15

If water gets close to the engine, the situation can easily get out of hand. Thanks to mechanical seals, our lightweight motor pumps are strong, durable and do not allow water to seep in. These pumps are also capable of handling small debris fragments as small as 3 mm in size while a filter prevents larger materials from entering.

Sturdy construction HONDA WX15

Exactly in line with all Honda production, motor pump motors are reliable, low-emission and low-vibration, and the automatic decompression function enables quick and easy starting. To ensure maximum control, moreover, the WX 15 is equipped with the Oil Alert™ function. In fact, the automatic shutdown when the oil level is below the safe limit prevents engine damage.

Beyond the HONDA WX15 we have a vast selection discover it! [click here](#)

Images and technical data of the HONDA WX15 Motor Pump are not binding.

Product features:

Fuel: Gasoline

Engine: Honda GXH50, 4 stroke, OHV

Engine rpm (rpm): 7000



Ignition: Transistorized
Starting system: Manual
Engine capacity (cm³): 49
Number cylinders: 1
Oil capacity (L): 0.25
Cooling: Forced air
Bore x stroke (mm): 41.8 x 36
Net power (kW): 1.6 KW (2.1 HP) / 3600 rpm
Pump type: Lightweight Pump
Fluid type: Clean water
Height of suction (m): 8
Maximum output capacity (Lt/min): 240
Pressure (bars): 4
Debris size capacity (mm): 5.7
Total head (m): 40
Fuel tank capacity (L): 0.77
Consumption (L/h): 0.51
Running time (h): 1.5
Acoustic power: 103 dB(A)
Acoustic pressure: 88 dB(A)
Length (mm): 325
Width (mm): 275
Height (mm): 375
Dry weight (Kg): 9
Silenced: No
Super silenced: No
Engine manufacturer: Honda