



# GENSET MG 4000 I-HE - GENERATOR 3.85 KVA

Product price:

**757,00 € tax excluded**

## Product description:

GENSET MG 4000 I-HE SINGLEPHASE GENERATOR 3,85 KVA

The generator GENSET MG 4000 I-HE singlephase features a gasoline engine capable of delivering 3,85 KVA with voltage regulator.

The GENSET MG 4000 I-HE singlephase generator provides reliable power for home, work and recreation environments. Safely powering appliances and other electronic devices solution for outdoor parties.

GENSET MG 4000 I-HE has an all-steel construction and a large metal tank with fill indicator. The generator guarantees an efficient and silent operation thanks to the Honda OHV engine that allows to deliver a maximum power of 3.85 KVA.

The entire GENSET MG 4000 I-H range has successfully passed different tests for each component of which the groups and the final product itself are composed in order to give the best possible reliability to the user.

The strengths of the single-phase generator 3.85 KVA are: the high quality of components, lightness, compactness, portability and ease of use and also modern design. The 3.85 KVA single-phase generator is equipped with a manual rope starter.

## TECHNICAL FEATURES GENSET MG 4000 I-H

Phase Type: SinglePhase

Maximum SinglePhase Output: 3.85 KVA

Maximum SinglePhase Output: 3.08 KW

VAC Voltage: 230 V

Frequency (Hz): 50

Starting Frame: Manual with self-winding



Motor: Honda GX 200 OHV  
Emission Standard: Stage V  
RPM: 3000  
Supply: Gasoline  
Fuel tank capacity: 3.1 l  
Consumption @ 75 % load: 1.5 l/h  
Autonomy @ 50 % load: 2.06 h  
Sound pressure: 95 dB(A) @ 7m  
Length: 610 mm  
Width: 360 mm  
Height: 410 mm  
Net weight: 38 Kg

Looking for a generator with different characteristics? Here you can find the full range of generators GENSET or other specialized brands

Images and technical data are not binding.

**Product features:**

Phase: Single phase  
Maximum power single phase (KW): 3.08  
Maximum power single phase (KVA): 3.85  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 2 Schuko  
Engine: Honda GX200, 4 stroke, OHV  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000  
Ignition: Recoil  
Starting system: Manual  
Engine capacity (cm<sup>3</sup>): 196  
Number cylinders: 1  
Cooling: Air  
Protection degree: IP23  
Motor insulation class: H  
Fuel tank capacity (L): 3.1  
Acoustic power: 98 dB(A)  
Acoustic pressure: 73 dB(A) at 7 m  
Length (mm): 610  
Width (mm): 360  
Height (mm): 410

Dry weight (Kg): 38

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : No

Voltage regulator: No

Engine manufacturer: Honda