



CGM SUPERPOWER 6000SPE GENERATOR SINGLEPHASE 6KVA

Product price:

1.000,00 € tax excluded

Product description:

CGM SUPERPOWER 6000SPE GENERATOR SINGLEPHASE 6KVA 4.8KW AVR

The **Generator Singlephase 6KVA CGM SUPERPOWER 6000SPE AVR** are powered by **gasoline**, are equipped with electric and manual start, handles and wheels to carry it easily; like the whole range CGM SUPERPOWER 6000SPE, is a generator singlephase 6KVA that respects a high quality standard and guarantees a high level of reliability. The whole range of generator singlephase 6KVA has passed different tests for each component of which the groups and the final product are composed.

The strengths of the generator singlephase 6KVA are: the high quality of the components, the lightness, the compactness, the ease of use and also the modern design, equipped with a practical rope starter.

The CGM Superpower 6000SPE è specially developed for camping, caravans, houses, and hobby applications, etc, è able to power a wide range of appliances.

CGM Superpower 6000SPE is equipped with a convenient **counter, larger tank rain protection**, to use it also in case of bad weather.

The advantages of AVR voltage regulator

The automatic voltage regulator, or AVR allows the generator singlephase 6KVA CGM Superpower 6000SPE to deliver stable energy and can therefore connect equipment with delicate electronics such as computers, appliances, smartphones and tablets: the unit is therefore ideal for home use, camping, hobby and leisure, but also for construction sites and craftsmen.

The AVR voltage regulator and the other quality standard of the alternator with copper windings will provide you with safe and stabilized energy.

Technical features of the generator singlephase 6KVA CGM SUPERPOWER 6000SPE

Maximum Power Single-phase: 4.8 KW

Maximum Power Single-phase: 6 KVA

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Motor: CGM 14. 0HP

Starting: Manual / Electrical

Consumption: 1.8 Lt/h

Length: 717 mm

Width: 545 mm

Height: 592 mm

Weight: 69 Kg

AVR

Discover the whole range of industrial and portable current generators

Images and technical data not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 4.8

Maximum power single phase (KVA): 6

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 2 x 230V

Engine: CGM 14.0HP, 4 stroke

Emissions Regulations: Stationary Use

Engine rpm (rpm): 3000

Starting system: Manual / Electric

Engine capacity (cm³): 420

Number cylinders: 1

Alternator: Copper

Fuel tank capacity (L): 25

Consumption (L/h): 1.8

Running time (h): 13.89

Acoustic pressure: 70 dB(A) at 7 m

Length (mm): 717

Width (mm): 545

Height (mm): 592

Dry weight (Kg): 69

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : No

Voltage regulator: AVR

Engine manufacturer: CGM