

GENSET LT 5500 SY-L - LIGHT TOWER LED 4 KVA



Product description:

GENSET LT 5500 SY-L

The GENSET LT 5500 SY-L is a light tower with 4 KVA single-phase diesel generator set with electric start.

With a maximum height of 8 meters and thanks to its 4 LED lamps of 360 W each, the GENSET LT 5500 SY-L can illuminate an area of 6000 m².

The GENSET LT 5500 SY-L also has low fuel consumption: only 1.5 Lt/h at 75% load.

Thanks to the high quality and efficiency of its components, the GENSET LT 5500 SY-L light tower is ideal for lighting various sites - from small sites to large construction sites.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 3.2

Continuous power single phase (KW): 2.88

Maximum power single phase (KVA): 4

Continuous power single phase (KVA): 3.6

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 16A CEE

Engine: Yanmar 2TNV70

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500

Starting system: Electric

Engine capacity (cm³): 570
Number cylinders: 2
Cooling: Water
Alternator: Synchronous
Protection degree: IP23
Motor insulation class: H
Type of lamps: LED
Lamps: 4 x 360 W
Illuminated area (m²): 6000
Total lumens (Lm): 264000
Lifting System: Manual lifting system
Maximum height (m): 8
Mast rotation: 340°
Open size (mm): 2688 x 2614 x 8400
Closed size (mm): 2688 x 1522 x 2394
Lenght closed (mm): 2688
Width closed (mm): 1522
Height closed (mm): 2394
With generator / Without generator: With generator
Transportability: Slow Trailer
Fuel tank capacity (L): 100
Consumption (L/h): 1.5
Running time (h): 66.67
Acoustic power: 97 dB(A)
Acoustic pressure: 72 dB(A) at 7 m
Dry weight (Kg): 650
Silenced: Yes
Super silenced: Yes
Product type: Light tower
Voltage regulator: No
Engine manufacturer: Yanmar