



# VISA CK 151 GENERATOR SET SILENCED 150 KVA AVR

Product price:

**22.205,00 € tax excluded**

## Product description:

### VISA CK151 GENERATOR

VISA CK151 is a silenced land-based generator set, rated at 150KVA in continuous use and AVR, it mounts leading brand components: the VISA CK151 model uses a reliable Diesel engine **PERKINS 1106A-70TAG2** 6-cylinder, 1500-rpm and a **STAMFORD UCI274F** alternator equipped with AVR AS540 with 1% voltage regulation accuracy.

The VISA CRICKET industrial power generators feature silenced casings and tropicalized treatment, thus they are suitable for use even in hot climates; in particular VISA CK151 is water-cooled, which guarantees excellent heat management.

The sturdy frame of the silenced generator set VISA CK151 contains a capacious 280 liters tank, which guarantees an autonomy of more than 14 hours at 75% load; moreover the dimensions of this generator are optimized for its transport by truck and its storage on a 40' HC container.

## Most important advantages of choosing a VISA CK151 industrial generator set

- 1 - Original industrial diesel engine with certificate of origin
- 2 - Brushless industrial alternator with AVR
- 3 - Steel basement, tank with electro level
- 4 - Soundproofing hood completely made of galvanized sheet metal and painted with polyester powders
- 5 - Soundproofing material made of polyester fiber with high abatement
- 6 - Residential exhaust silencer with insulated collector
- 7 - Electrical panel mounted on the machine with control device and protection device integrated in the box
- 8 - Compactness for easy handling and use
- 9 - Test certification, manuals and diagrams supplied
- 10 - World wide after sales technical assistance support





11- CRICKET RANGE: FROM 9 TO 200kVA at 50 or 60Hz.

## AMF AUTOMATIC CONTROL BOX FOR VISA ELECTRIC POWER STATION

Control box composition for Visa Cricket range:

- 1 - On/off key;
- 2 - Emergency stop button;
- 3 - DEEP SEA® 4520 MKII;
- 4 - Main switch of primary brand.

### **DEEP SEA® 4520 MKII**

DSE4520 control panel is a compact automatic power failure control module. Monitoring a vast number of motor parameters, the module can display warning, shutdown and motor status information on the backlit LCD display.

This control unit allows the Visa CK151 generator set to be combined with a mains switch for automatic start-up.

Accessories available for Visa genset

- Engine pre-heating system;
- Switchboard

Images and technical data are not binding

### **Product features:**

Phase: Three phase

Maximum power three phase (KW): 132

Continuous power three phase (KW): 120

Maximum power three phase (KVA): 165

Continuous power three phase (KVA): 150

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400

Sockets configuration: Terminal box

Engine: Perkins 1106A-70TAG2

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500

Speed governor: Mechanical

Starting system: Electric

Engine capacity (cm<sup>3</sup>): 7010

Number cylinders: 6

Oil capacity (L): 16



---

Cooling: Water  
Poles: 4  
Three-phase power (KVA): 45  
Fuel tank capacity (L): 90  
Consumption (L/h): 24.7 at 75% of the load  
Running time (h): 11.3  
Width (mm): 1150  
Height (mm): 1880  
Dry weight (Kg): 2026  
Silenced: Yes  
Brushes: No  
Product type: Generator  
ATS Switch device : Optional  
Voltage regulator: AVR  
Engine manufacturer: Perkins  
Precision of voltage regulation:  $\pm 1\%$