CGM C11000E



Product price:

2.610,00 € tax excluded

Product description:

Ì

CGM C11000E single-phase 10KVA generator

CGM C11000E single-phase Generator 10KVA with Briggs & Stratton engine powered by STAGE V gasoline at 3000 rpm, compact and easy to use, mounted on a fixed base with rubber vibration dampers.

The CGM C11000E generator set is composed of a Made in Italy Linz or NSM alternator, selfexcited without brushes and with voltage regulator or AVR.

The CGM C11000E generator set is equipped with electric start with 12 V battery or manual recoil starter and low fuel consumption, in fact it consumes only 3.8 liters/hour at 75% load. This C11000E generator set is perfect for outdoor use such as for hobby use.

The CGM C11000E genset is part of the CLASSIC series and easily adapts to a variety of uses such as homes, mobile facilities, campgrounds, hobbies, construction sites, etc. The C11000E generator set at 3000 rpm is suitable for emergency use only. It is not recommended to use it for more than 6 hours continuously and for more than 500 hours per year.

Technical features of CGM C11000E unit:

Phase type: Single phase Maximum single phase power: 9. 9 KW Single-phase continuous use power: 9 KW Maximum single-phase power: 11 KVA Single-phase continuous use power: 10KVA Fuel: Gasoline Voltage: 230 V Frequency: 50 Hz Motor: BRIGGS & STRATTON 16HP

PrestaShop

R)



Motor RPM: 3000 RPM Start: Electric Voltage regulator system: AVR Consumption: 3. 8 Lt/h at 75% load Tank capacity: 8. 5 Lt Autonomy: 2.2 h at 75% load Length: 910 mm Width: 580 mm Height: 640 mm Weight: 125 Kg

Ø.

Discover the full range reserved for Ground generators of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding.

Product features:

Phase: Single phase Maximum power single phase (KW): 9.9 Continuous power single phase (KW): 9 Maximum power single phase (KVA): 11 Continuous power single phase (KVA): 10 Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230 Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V 32A 3P CEE Engine: Briggs&Stratton **Emissions Regulations: Stage 5** Engine rpm (rpm): 3000 Starting system: Electric Engine capacity (cm³): 480 Number cylinders: 2 Alternator: Made in Italy Poles: 2 Fuel tank capacity (L): 8.5 Consumption (L/h): 3.8 Running time (h): 2.2 Length (mm): 910 Width (mm): 580

R

Height (mm): 640 Dry weight (Kg): 125 Silenced: No Super silenced: No Product type: Generator ATS Switch device : Optional Voltage regulator: AVR Engine manufacturer: Briggs&Stratton

R