



CGM CX7000



Product price:

1.612,50 € tax excluded

Product description:

GENERATOR CGM CX7000 SINGLE PHASE 7KVA AVR

Generator CGM CX7000 single-phase 7KVA with Honda engine powered by STAGE V gasoline at 3000 rpm, compact and easy to use, mounted on a fixed base with sturdy rain cover and vibration dampers. The CGM CX7000 generator set is composed of a Made in Italy Linz or NSM alternator, self-excited without brushes and with an AVR voltage regulator. The AVR regulator allows the voltage to be stabilized and does not ruin the connected sensitive devices. The CGM CX7000 generator set is equipped with manual recoil start and low fuel consumption, in fact it consumes only 2 liters/hour at 75% load. This generator set CX7000 is perfect for outdoor use such as for hobby use.

The CGM CX7000 generator set is part of the DELUXE series and is easily adaptable to various uses such as homes, mobile facilities, camping, hobbies, construction sites, etc.. The CX7000 generator set at 3000 rpm is suitable for emergency use only. It is not recommended to be used for more than 6 hours continuously and for more than 500 hours per year.

Technical features of CGM CX7000 generator:

Phase type: Single phase

Maximum power: 6.9 KW

Continuous power: 6.3 KW

Maximum power: 7.7 KVA

Continuous power: 7KVA

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Engine: HONDA GX390

Engine revs: 3000 rpm

Starting: Manual

Voltage regulator system: AVR

Consumption: 2 Lt/h at 75% of the load



Tank capacity: 6.1 Lt
Autonomy: 3 h at 75% load
Length: 825 mm
Width: 550 mm
Height: 530 mm
Weight: 82 Kg

Discover the full range reserved for generators of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding.

Product features:

Phase: Single phase
Maximum power single phase (KW): 6.9
Continuous power single phase (KW): 6.3
Maximum power single phase (KVA): 7.7
Continuous power single phase (KVA): 7
Fuel: Gasoline
Frequency (Hz): 50
Voltage (V): 230
Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V SCHUKO
Engine: Honda GX390
Emissions Regulations: Stage 5
Engine rpm (rpm): 3000
Starting system: Manual
Engine capacity (cm³): 389
Number cylinders: 1
Alternator: Made in Italy
Poles: 2
Fuel tank capacity (L): 6.1
Consumption (L/h): 2
Running time (h): 3
Length (mm): 825
Width (mm): 550
Height (mm): 530
Dry weight (Kg): 82
Silenced: No
Super silenced: No
Product type: Generator

ATS Switch device : No
Voltage regulator: AVR
Engine manufacturer: Honda