



CGM D15000

Product description:

CGM D15000 single-phase 13,5 KVA generating

CGM D15000 single-phase 13,5 KVA generator set with a Kohler engine powered by STAGE V diesel at 3000 rpm, compact and easy to use, mounted on a fixed base with rubber vibration dampers.

The CGM D15000 generator set consists of a Made in Italy alternator from Linz or NSM, self-excited without brushes and with optional capacitor or **AVR** voltage regulator. The CGM D15000 generator set is equipped with electric start with 12V battery and with a low fuel consumption, in fact it consumes only 3,2 liters/hour at 75% of the load.

This CGM D15000 is perfect for outdoor use such as for hobbyist use. Also available with a panel for automatic start with ATS.

The CGM D15000 generator set is part of the CLASSIC DIESEL series and are characterized by lower consumption and a longer life expectancy than the gasoline powered range. The CGM D15000 at 3000 rpm is suitable for emergency use only. It is not recommended for use for more than 6 hours continuously and for more than 500 hours per year.

Technical characteristics of CGM D15000:

Phase type: Single phase

Maximum power: 13.5 KW

Continuous power: 12 KW

Maximum power: 15 KVA

Continuous power: 13.5 KVA

Fuel: Diesel

Voltage: 230 V

Frequency: 50 Hz

Motor: KOHLER KD477

Engine speed: 3000 rpm

Starting: Electric

Voltage regulator system: Condenser, AVR optional

Consumption: 3.2 Lt/h at 75% of the load

Tank capacity: 50 Lt

Autonomy: 15.6 h at 75% load

Length: 1100 mm

Width: 700 mm

Height: 800 mm

Weight: 210 Kg

Discover the full range reserved for generators of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 13.5

Continuous power single phase (KW): 12

Maximum power single phase (KVA): 15

Continuous power single phase (KVA): 13.8

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V 63A 3P CEE

Engine: Kohler KD477

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Starting system: Electric

Engine capacity (cm³): 954

Number cylinders: 2

Alternator: Made in Italy

Poles: 2

Fuel tank capacity (L): 50

Consumption (L/h): 3.2

Running time (h): 15.6

Length (mm): 1100

Width (mm): 700

Height (mm): 800

Dry weight (Kg): 210

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : Optional

Voltage regulator: Capacitor / AVR (optional)

Engine manufacturer: Kohler