

WEBASTO COOL TOP TRAIL 20



Product price:

1.204,00 € tax excluded

Product description:

WEBASTO Cool Top Trail 20 air conditioner

The WEBASTO Cool Top Trail 20 air conditioner is a 230V single-phase rooftop air conditioner with 2000W cooling power and 2000W heating power and is suitable for use in parked RVs and trailers up to 8m in length. The WEBASTO Cool Top Trail 20 is lightweight, compact and easy to install inside small vehicles such as trucks, campers, caravans or trailers.

Thanks to its generous heat exchanger, the WEBASTO Cool Top Trail 20 air conditioner features high efficiency and high performance. The reliability and high cooling power of the WEBASTO Cool Top Trail 20 have been tested under extreme conditions at temperatures up to 50 °C. Units like this rooftop air conditioner come with a heat pump as standard that is also very powerful, operating in outdoor temperatures as low as -5 °C.

The WEBASTO rooftop air conditioner's very low noise levels allow you to rest and relax inside your vehicle and not disturb your camping neighbors. The use of high quality components ensures sturdiness and long life with minimal maintenance expense. Made of UV-stabilized polypropylene, the air conditioner housing is sturdy yet lightweight.

The air conditioners can be operated with an easy-to-use remote control that allows the user to access all air conditioner functions from the comfort of the dining area, seat or bed.

In addition to cooling and heating, the air conditioners include several extra functions such as dehumidification, timer and sleep function. WEBASTO Cool Top Trail are supplied with a mounting frame for roof openings of 400 x 400 mm.

For use in smaller openings of 360 x 360 mm, an alternative adapter frame is available as an accessory.

Technical features of the CoolTopTrail 20 rooftop air conditioner:

Cooling capacity: 2000 W

Heating capacity: 2000 W



Voltage: 230 V

Frequency: 50 Hz

Nominal current (cooling mode): 3 A

Nominal current (heating mode): 2.6 A

Operating temperature range (°C): -5 to 50

Roof thickness (mm): 25 to 85

Roof cut-out (mm): 400 x 400 (360 x 360 with optional adapter)

Outdoor unit dimensions: 1002 x 566 x 215 mm

Indoor unit dimensions: 557 x 536 x 43 mm

Total weight: 30.8 Kg

The advantages of this rooftop air conditioner:

- Powerful air conditioners with high cooling and heating capacity
- Robust, lightweight and quiet
- Wide operating range from -5 to 50 °C
- Slim profile and compact design
- Easy installation

Equipment:

- Outdoor unit
- Indoor unit
- 400x400 mm frame adapter
- Remote control
- Installation manual

If you are looking for another kind of product such as WEBASTO Cool Top Trail 20 rooftop air conditioner then you can browse our entire catalog of vehicle air conditioners.

Images and technical data are not binding.

Product features:

Phase: Single phase

Frequency (Hz): 50

Voltage (V): 230

Refrigerating yield: 2000 W

Heating power: 2000 W

Operating temperature range (°C): -5 to 50

Roof thickness (mm): 25 to 85

Roof notch (mm): 400x400

Length (mm): 1002

Width (mm): 566

Height (mm): 215

Type of climate control: Roof Air Conditioner

Recommended vehicle length (m): 8

Product type: Air conditioner

Weight (Kg): 30.8