

# GENMAC Click RG4000YO GENERATOR 4,1KVA



Product price:

**1.622,00 € tax excluded**

## Product description:

GENMAC Click RG4000YO SINGLE-PHASE GENERATOR 4,1KVA

The generator Genmac Click RG4000YO single-phase is equipped with a Yanmar Diesel powered engine capable of delivering 4,1KVA with capacitor voltage regulator (AVR optional).

**High quality** Professional Diesel Generators, **Genmac Click** series with power of **4,1kVA**, are equipped with **Yanmar oversized engine** with air-cooled to 3000 RPM.

Professional Genmac Click **generators**, are highly reliable **machines**, built with **quality components** to be **used in professional field**, where reliability is fundamental.

This feature is essential to ensure high reliability of the generator, reduce the effort and increase **the life span by lowering the noise level**.

All Yanmar motors **are built using the** best materials, the **most innovative** technics **and the most advanced quality control methods**.

Each engine is carefully tested in order to prove its perfect operation before delivery. The 4,1KVA generator is equipped with capacitor regulator, on request it can be supplied with AVR.

## AVR Voltage Regulator

All models in the Genmac Combipro series are available with optional AVR regulator. The AVR is a device that allows to **maintain the output more constant and less load-dependent**. Thanks to this card you have fewer drops or current peaks and this makes it safer to use the various devices connected, improving their performance and durability.

## TECHNICAL FEATURES OF GENERATOR GENMAC CLICK RG4000KO 4,1KVA

Voltage regulator : capacitor (AVR Optional)

Power supply: Diesel  
Starting: Manual  
Phase type: Single phase  
Continuous power: 3,6KVA / 3,2KW  
Maximum power: 4.1KVA / 3.7KW  
Motor: Yanmar L70  
Socket panel: 2 x schuko 16A 230V  
Voltage: 230V  
Frequency: 50 Hz  
3000 rpm  
Tank: 3.5 Lt.  
Autonomy @ 75%: 3,6 h fixed rpm  
Starting: Manual  
Length (mm): 740  
Width (mm): 540  
Height (mm): 600  
Dry weight (Kg): 80

If you are looking for another product then you can see on our catalog other.

Images and technical data are not binding.

**Product features:**

Phase: Single phase  
Maximum power single phase (KW): 3.7  
Continuous power single phase (KW): 3.2  
Maximum power single phase (KVA): 4.1  
Continuous power single phase (KVA): 3.6  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230  
Engine: Yanmar L70  
Engine rpm (rpm): 3000  
Starting system: Manual  
Cooling: Air  
Poles: 2  
Fuel tank capacity (L): 3.5  
Running time (h): 3.8  
Length (mm): 740  
Width (mm): 540  
Height (mm): 600

Dry weight (Kg): 80

ATS Switch device : No

Voltage regulator: AVR (optional)

Engine manufacturer: Yanmar