



RENTAL ELC LUMAPHORE LED 600XL

Product price:

1.888,00 € tax excluded

Product description:

LIGHT TOWER RENTAL TURIN LED 500W - LUMAPHORE 600XL

LIGHT TOWER RENTAL TURIN LED 500W - LUMAPHORE LED 600XL is a light tower equipped with a projector capable of delivering a maximum power of 520 W with which it can illuminate an area of 3200 m².

It is appreciated in many industrial sectors:

- Road marking companies
- Asphalt paving teams
- Emergency services
- Civil defense
- Duct installers
- Highway companies

The rental service

Light Tower rental has never been so easy: choose the product you want to rent and fill out the form.

Our specialized staff for the rental service will respond immediately with the most suitable offer for you!

The equipment available for rental can be shipped all over Italy and is always ready for action: our team of technicians ensures that it is always in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with fairs or events, where many people will be using the service.

Main features of the LIGHT TOWER TURIN 500W - LUMAPHORE LED 600XL:

Total lighting output: 520 W



Power supply: 575 W
Protection index: IP65 / IK10
Wind resistance: 162 Km/h
Thermal protection: Yes
Temperature range for use: -15°/+40°
Lighting area: 3200 m²
Color temperature: 5000 °K
Total lumens: 76200 lm
Color rendering index: > 80
Diameter: 22.5 cm
Length: 91 cm
Weight: 7.7 Kg
Type of tap: Diameter 26 mm
Optimal height for use: 4 m
Average installation time: 2 min

The advantages of LUMAPHORE:

- 3200 m² for 520 Watts
- Powerful floor lighting
- 100% immediate ignition
- Lightweight
- Sturdy: ABS, polycarbonate base, impact resistant PMMA diffuser
- Withstands harsh weather conditions
- Extremely multipurpose in its applications

Looking for a light tower with different characteristics? Access our dedicated area of light towers by clicking [here](#)

Available Italy-wide.

Images and technical data are not binding.

Product features:

Protection degree: IP65
Diameter (Ø): 22.5
Maximum height (m): 4
Total lighting output (W): 520
Power of electricity supply (W): 575

Temperature range for use (°C): -15 / +40

Colour temperature (°K): 5000

Average assembly time (min): 2

Illuminated area (m²): 3200

Total lumens (Lm): 76200

Stability to wind (Km/h): 162

Length (mm): 910

Weight (Kg): 7.7