



# BLACK+DECKER BXGND7900E SINGLE- THREE PHASE GENERATOR 7,5KVA

Product price:

**1.795,20 € tax excluded**

## Product description:

BLACK+DECKER BXGND7900E GENERATOR SINGLE/THREE-PHASE 7,5KW

BLACK+DECKER BXGND7900E is a 7,5KW single/three-phase Generator with a 498cc 4-stroke Diesel-powered engine, compact and easy to use.

The BLACK+DECKER BXGND7900E features an AVR regulated alternator, perfect for use with power tools, gardening, outdoor activities or as an emergency generator.

The BLACK+DECKER BXGND7900E single/three phase comes with electric start and ATS control panel connectors, giving you the ability to connect the generator to the grid as an emergency power pack.

The BLACK+DECKER BXGND7900E has a low fuel consumption and an extremely capacious tank, capable of holding up to 12L, thanks to these features the generator provides a range of 9 hours at full load.

BLACK+DECKER BXGND7900E thanks to its only 160kg and a body equipped with handles and wheels, it will be extremely easy to move and use for any activity you want to assign this generator.

The BLACK+DECKER BXGND7900E single-phase generator is equipped with a frontal electric panel composed of a digital display with hour meter, differential  $\dot{u}$ , connector for ATS panel and a practical Switch for single-phase or three-phase operation. The generator is also equipped with a socket panel, complete with:

1 socket 32A 3P, 1 socket 32A 5P 2 Schuko sockets with 230Vac power supply.

## TECHNICAL CHARACTERISTICS BLACK+DECKER BXGND7900E:



Type of phase: Single-phase / Three-phase

Maximum power: 7,9 KVA

Continuous power: 7,5 KVA

Maximum power: 5.7 KW

Continuous power: 5,4 KW

Fuel: Diesel

Voltage: 230 / 400 V

Frequency: 50 Hz

Engine: 4 Strokes 498 cc

Starter: Electric with battery / Automatic

Voltage regulator: AVR

Tank capacity: 12 Lt

Autonomy: 9 h at 100% load

Length: 960 mm

Width: 560 mm

Height: 790 mm

Weight: 160 Kg

Discover the full range of generator brand BLACK+DECKER or other top brands, browse our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

#### Product features:

Phase: Single phase / Three phase

Maximum power single phase (KW): 5,7

Continuous power single phase (KW): 5,4

Maximum power single phase (KVA): 7,9

Continuous power single phase (KVA): 7,5

Maximum power three phase (KW): 5,7

Continuous power three phase (KW): 5,4

Maximum power three phase (KVA): 7,9

Continuous power three phase (KVA): 7,5

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400

Engine: 4 stroke

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Starting system: Electric

Engine capacity (cm<sup>3</sup>): 498

Cooling: Air





Fuel tank capacity (L): 12

Running time (h): 9

Length (mm): 960

Width (mm): 560

Height (mm): 790

Dry weight (Kg): 160

Silenced: Yes

Product type: Generator

ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: BLACK+DECKER

Video: MnzG-Ezglhl

