

GENSET MPM 6/230 SYI SINGLE-THREEPHASE MOTOR WELDER 6KVA

Product price:

4.723,00 € tax excluded

Product description:

Ì

GENSET MPM 6/230 SYI SINGLE-PHASE/THREE-PHASE MOTOR WELDER 6KVA

GENSET MPM 6/230 SYI is a single-phase/three-phase engine driven welder equipped with a Yanmar L100V motor capable of delivering a maximum power of 6 KVA.

The engine of the GENSET MPM 6/230 SYI engine driven welder is diesel powered and is equipped with a variable speed drive.

The GENSET MPM 6/230 SYI is a professional engine driven welder suitable for a variety of applications and its enclosure makes this engine driven welder one of the quietest in its class, keeping its noise level below 96 dB(A).

The GENSET MPM 6/230 SYI is easy to transport and relocate for any application thanks to its convenient central lifting hook.

The GENSET MPM 6/230 SYI has a large tank capacity of up to 10.5 litres. The tank is equipped with a fuel gauge with User Friendly opening, which makes the cap safe and convenient to open and close.

In addition, this welder also has a low fuel consumption, in fact it is able to ensure an autonomy of about 6 h at 75% load.

TECHNICAL CHARACTERISTICS GENSET MPM 6/230 SYI:

Welding type: Electrode / Tig Maximum threephase power: 6.0 KVA Maximum threephase power: 4.8 KW Maximum singlephase power: 2.0 KVA Maximum singlephase power: 1.6 KW

PrestaShop

R

Fuel: Diesel Voltage: 230/400 V Frequency: 50 Hz Engine: Yanmar L100V Number of cylinders: 1 Displacement: 435 cm3 Mechanical power: 8.8 HP Starter: Electric Tank capacity: 10.5 I Consumption: 1.5 Lt/h Acoustic power: 96 (71 dB at 7 mt) Length: 885 mm Width: 630 mm Height: 775 mm Weight: 170 Kg

Ø.

If you're looking for other products like the GENSET then you can browse our extensive catalogue dedicated to motor welding machines.

Images and technical data are not binding.

Product features:

Phase: Single phase / Three phase Maximum power single phase (KW): 4.8 Maximum power single phase (KVA): 6 Maximum power three phase (KW): 1.6 Maximum power three phase (KVA): 2 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 230 / 400 Sockets configuration: 1 x 400V 16A CEE - 1 x 230V 32A CEE Engine: Yanmar L100V Starting system: Electric Engine capacity (cm³): Number cylinders: 1 Cooling: Water Alternator: Asynchronous Protection degree: IP23 Motor insulation class: H Fuel tank capacity (L): 10.5 Consumption (L/h): 1.5 Running time (h): 6.5

R

Acoustic power: 96 dB(A) Acoustic pressure: 71 dB(A) at 7 m Length (mm): 885 Width (mm): 630 Height (mm): 775 Dry weight (Kg): 170 Silenced: Yes Super silenced: Yes Product type: Engine driven welder Voltage regulator: No Engine manufacturer: Yanmar

R

