

# GREEN POWER GP280S/B THREE-PHASE GENERATOR 270KVA



**Product price:**

**21.890,00 € tax excluded**

## **Product description:**

GREEN POWER GP280S/B THREE-PHASE GENERATOR 270KVA

Generator GREEN POWER GP280S/B Three-phase 275 KVA with a Baudouin 6M16G275-5 diesel-powered engine and a tank with a maximum capacity of 265 l.

The generator's LINZ PRO28S D/4 alternator is a 4-pole, three-phase, self-excited, brushless alternator with class H insulation. This alternator is equipped with an AVR voltage regulator that allows you to adjust the output voltage making the current "clean" and stable almost like home current.

The GREEN POWER GP280S/B is built with large access doors to allow for easy maintenance (air, oil, fuel filter replacement) as well as a practical drilled base and 4 feet with holes for ground mounting. The generator consists of a carbon steel sheet enclosure, electro-welded to reduce noise emissions that makes it supersilenced.

The GREEN POWER GP280SM/B generator with 275-liter tank has a fuel consumption of 42.2 liters/hour at 75% load.

## **Technical features of the GREEN POWER GP280S/B generator:**

Phase Type: Three Phase

Maximum Power: 275 KVA

Continuous Power: 250 KVA

Maximum Power: 220 KW

Continuous Power: 200 KW

Fuel: Diesel

Voltage: 400 V

Frequency: 50 Hz

Motor: Baudouin 6M16G275-5

Motor RPM: 1500 rpm  
Boosting: Electric  
Consumption at 75% load: 42. 2 l/h  
Tank Capacity: 265 l  
Acoustic Power. 70 dB(A) at 7m  
Length: 3800 mm  
Width: 1200 mm  
Height: 2090 mm  
Dry weight: 2700 Kg  
Voltage regulator: AVR  
Super-silenced

If you are looking for another product like this generator GREEN POWER then you can see on our catalog other generator.

Images and technical data are not binding.

**Product features:**

Phase: Three phase  
Maximum power three phase (KW): 220  
Continuous power three phase (KW): 200  
Maximum power three phase (KVA): 275  
Continuous power three phase (KVA): 250  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 400  
Engine: Baudouin 6M16G275-5  
Emissions Regulations: Not Emissioned  
Engine rpm (rpm): 1500  
Speed governor: Electronic  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 9726  
Cylinders' position: In line  
Cooling: Water  
Alternator: LINZPRO28S D/4  
Poles: 4  
Fuel tank capacity (L): 265  
Consumption (L/h): 42 al 75% del carico

---

Acoustic pressure: 70 dB(A) at 7 m  
Length (mm): 3800  
Width (mm): 1200  
Height (mm): 2090  
Dry weight (Kg): 2700  
Silenced: Yes  
Super silenced: Yes  
ATS Switch device : Optional  
Voltage regulator: AVR