



# MASE VS 8.6 DV MARINE GENERATOR DUAL VOLTAGE 8KW

Product price:

**22.350,00 € tax excluded**

## Product description:

MASE VS8,6 DV SINGLE-PHASE MARINE GENERATOR 8KW

Generator marine DUAL VOLTAGE MASE VS8,6 DV equipped with a Kubota Z602 engine with Diesel power supply and variable speed regulation, capable of delivering a power of 8KW.

The MASE VS8,6 DV marine generator is designed with a soundproof cabin that makes it **supersilenced**. The marine generator is built with Kubota diesel-powered engine and permanent magnet alternator with air/water cooling. With its small size, it is also suitable on small boats.

The MASE VS8,6 CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. MASTER CBU 93x93mm (3.66x3.66 in) very compact module, with multiple functions for complete monitoring of the marine generator MASE VS8,6 DV:

The sound-proof cabin of the MASE generator has been realized with painted marine aluminum panels, combining an innovative design with a very high resistance to external agents. Thanks to its structure, a low weight and an excellent accessibility to the internal compartment are guaranteed, making maintenance operations easy, even with installations carried out in narrow spaces.

## TECHNICAL FEATURES MARINE GENERATOR MASE VS8,6 DV

Phase Type: Single Phase

Power continuous use: 8 KW

Fuel: Diesel

Voltage: 230 V / 240 V

Frequency: 50/60 Hz

Engine: Kubota Z602



Mechanical Power: 14.5 Hp  
Number of cylinders: 2  
Displacement: 599 cc  
Speed governor: Electric with actuator  
Engine revs: 2100 ÷ 3150 rpm  
Acoustic power: 54 dBA @ 7 m  
Length: 650 mm  
Width: 468 mm  
Height: 555 mm  
Weight: 179 Kg

If you are looking for another generator like the MASE then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase  
Continuous power single phase (KW): 8  
Fuel: Diesel  
Frequency (Hz): 50 / 60  
Voltage (V): 230 / 240  
Engine: Kubota Z602  
Engine rpm (rpm): 2100 ÷ 3150  
Speed governor: Electronic  
Engine capacity (cm<sup>3</sup>): 599  
Number cylinders: 2  
Oil capacity (L): 2.5  
Cooling: Air / water (Intercooler W/A)  
Inyección : Indirect  
Alternator: Permanent magnets  
Bore x stroke (mm): 72 x 73.6  
Lubrication: Forced  
Acoustic pressure: 54 dB(A) at 7 m  
Length (mm): 650  
Width (mm): 468  
Height (mm): 555  
Dry weight (Kg): 179  
Silenced: Yes

---

Super silenced: Yes  
Product type: Generator  
Voltage regulator: No  
Engine manufacturer: Kubota