



# LUXTOWER LUX C12

**Product price:**

**4.238,00 € tax excluded**

## **Product description:**

LUXTOWER LUX C12 4x160 W LED

LUXTOWER LUX C12 is a compact and easily transportable tower luminaire that can effectively illuminate areas of up to 2700 m<sup>2</sup> with low environmental impact.

The LUXTOWER LUX C12 tower is equipped with a 7 m vertical telescopic pole with hydraulic lifting and 4x160 W LED floodlights with high luminous efficiency.

The LUXTOWER LUX C12 is a mobile lighting tower without a generator with four 160 W multi-LED floodlights, a vertical telescopic pole and a manual lifting system. An external power source, such as a generator or the main grid, is therefore required to power the lighting towers individually or in series. Completely silent, it requires no maintenance, has no fuel costs and is a zero-emission, entirely sustainable machine.

Thanks to its setup on a tow truck, it can be manoeuvred with ease.

The LUXTOWER LUX C12 lighting tower is one of the brilliant results of a development path characterised by the application of innovative LED technology. The new LED machines are ideal for the rental sector and are characterised by low power consumption, compactness, robustness and ease of use.

## **Main technical characteristics of the LUXTOWER LUX C12 lighting tower:**

Phase type: Single-phase

Voltage: 230 V

Lamp type: LED

Lamps: 4 x 160 W

Telescopic pole: Vertical

Illuminated area: 2700 m<sup>2</sup>

Lift: Manual

Maximum height: 7 m

Pole rotation: 340

Dimensions open: 1850 x 1450 x 7000 mm

Size when closed: 1200 x 800 x 2350 mm

Transportability: Slow Towing Trolley

Wind stability: 110 Km/h

Weight: 296 Kg

Unlike metal halide lamps, LED floodlights guarantee:

- Instant lighting, with no waiting time for cooling
- Fuel savings of up to 60% compared to incandescent systems
- Five times longer lamp life than conventional ones
- Low environmental impact with CO2 reductions of around 50%

The LUXTOWER LUX C12 is the ideal solution for the following outdoor applications

- Construction sites
- Events and exhibitions
- Road maintenance
- Rental companies
- Industrial activities

If you're looking for more towers like the LUXTOWER C12 then you can browse our entire catalogue of LUXTOWER towers and other brands.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase

Frequency (Hz): 50

Voltage (V): 230

Type of lamps: LED

Lamps: 4 x 160 W

Telescopic pole: Vertical

Illuminated area (m<sup>2</sup>): 2700

Lifting System: Manual lifting system

Maximum height (m): 7

Mast rotation: 340°

Open size (mm): 1850 x 1450 x 7000

Length closed (mm): 1200

Width closed (mm): 800

Height closed (mm): 2350

With generator / Without generator: Without generator

Transportability: Slow Trailer

Stability to wind (Km/h): 110

Product type: Light tower

Weight (Kg): 296

Video: pIUY2niKrtE