

MASE IS 24 K SINGLE PHASE MARINE GENERATOR 26KW



Product price:

35.500,00 € tax excluded

Product description:

MASE IS 24 K SINGLE-PHASE MARINE GENERATOR 26KW

MASE IS24K single-phase marine generator with KUBOTA V3300 engine with diesel power supply at 1500 rpm capable of delivering a power of 26KW.

The MASE IS24K marine generator is designed with a soundproof cabin that makes it **supersilenced**. The MASE IS24K marine generator is built with KUBOTA diesel-powered engine and synchronous alternator, self-excited with air/water cooling. With its small size, it is also suitable on small boats.

The marine generator CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. Very compact, 86x124mm and equipped with 10mts shielded cable, the CBU module has multiple functions for complete monitoring of the MASE IS24K.

The soundproof cabin of the MASE IS24K consists of a load-bearing structure in aluminum profile that supports panels in marine aluminum painted type 5754 extremely light and very high resistance to external agents. The excellent accessibility to the internal compartment makes maintenance easier even with the genset installed in narrow spaces.

Technical features:

Maximum power Single-phase: 26 KW

Continuous use power Single-phase: 24 KW

Fuel: Diesel

Voltage: 115 V / 230 V

Frequency: 50 Hz

Motor: KUBOTA V3300

Length: 1260 mm

Width: 640 mm
Height: 830 mm
Weight: 630 Kg

If you are looking for another generator like the MASE IS24K then you can browse the entire catalog of marine gensets.

Images and technical data are not binding.

Product features:

Phase: Single phase
Maximum power single phase (KW): 26
Continuous power single phase (KW): 24
Maximum power single phase (KVA): 26
Continuous power single phase (KVA): 24
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 115 / 230
Engine: KUBOTA V3300-BG
Engine rpm (rpm): 1500
Speed governor: Electronic
Engine capacity (cm³): 3318
Number cylinders: 4
Cooling: Air / water (Intercooler W/A)
Inyección : Direct
Alternator: Synchronous, self-excited
Poles: 4
Compression ratio: 18 : 1
Lubrication: Forced
Acoustic pressure: 52 dB(A) at 7 m
Length (mm): 1260
Width (mm): 640
Height (mm): 830
Dry weight (Kg): 630
Inverter: No
AVR: Yes
Compound: No

Silenced: Yes

Super silenced: Yes

Product type: Generator

Voltage regulator: AVR

Engine manufacturer: Kubota