



# AIRSTAR SIROCCO 700 REDTECH 66000 lm

## Product description:

AIRSTAR SIROCCO700 REDTECH 66000 lm

AIRSTAR SIROCCO700 REDTECH is a Lightglobe equipped with 12 LED lamps capable of delivering a total light output of 500W, thanks to which it can illuminate an area of 3216 m<sup>2</sup>.

The AIRSTAR SIROCCO700 REDTECH 66000 Lightglobe lumen is a perfect device for night work and on-site interventions, such as temporary site lighting, industrial maintenance lighting or emergency.

AIRSTAR SIROCCO700 REDTECH Lightglobe is equipped with a multi-lamp system that allows the balloon, in the event of a lamp failure, to continue to operate.

AIRSTAR SIROCCO700 REDTECH Lightglobe comes complete with: full flask, 1 carrying bag, 1 user manual, 1 repair kit bag. Optional rod and sandbags.

The AIRSATR RedTech line of Lightglobe is equipped with wifi and bluetooth connection, can be controlled via dedicated app, downloadable on both IOS and android, giving you the ability to make several adjustments including intensity, blinking light and many other adjustments.

## TECHNICAL FEATURES AIRSTAR SIROCCO700 REDTECH Lightglobe:

Light Engine: Airstar LED Matrix: 12 x 5500 lm

Luminous flux: 66000 Lm

Average LED life: 50000 H

Color temperature: Daylight 5000 K



CRI: 70

Lighting under the balloon (placed at 4 meters): 452 Lx

Lighting area for activities at the first level of risk (standard EN12464-2): 707 m<sup>2</sup>

Lighting area open space environment (standard EN1838): 3216 m<sup>2</sup>

Wind resistance of the balloon: 100 km/h - 60 mph

Power consumption: 500 W

Efficiency: 132 lm/W - 10153 lm/kg - 4605 lm/lb

Power supply voltage: 100~240 VAC / 50-60 Hz

Recommended battery: 1 kWh

Overall protection class: IEC-60598-1, CE, IP54

Type of lamps: LED

Transport bag: 86 x 30 x 30 cm (L\*w\*h) 33 x 11 x 11 in (L\*w\*h)

Weigh: 13 Kg

The SIROCCO700 Lightglobe by AIRSTAR represents an advanced and versatile solution, perfect for those seeking a reliable and high-performance product. Thanks to its cutting-edge technical specifications and ease of use, the SIROCCO700 Lightglobe stands out in the professional lighting market, supported by the quality and innovation of REDTECH.

AIRSTAR SIROCCO700 Lightglobe

Looking for a Lightglobe with different technical features? Here you can find the full range of AIRSTAR or other specialized brands.

Images and technical data not binding.

**Product features:**

Frequency (Hz): 50 / 60

Voltage (V): 100 - 240

Protection degree: IEC-60598-1, CE, IP54

Power (W): 500

Average life of LEDs (hrs): 50000

Colour temperature (°K): 5000

Type of lamps: LED

Lamps: 12

Telescopic pole: Acciaio cromato

Illuminated area (m<sup>2</sup>): 3216

---

Total lumens (Lm): 66000

Weight (Kg): 13

Video: wNqAxWPD5n4