



# MASE MARINER 805 S SINGLE PHASE SILENCED MARINE GENERATOR 8 KW

**Product price:**

**17.700,00 € tax excluded**

## **Product description:**

MASE MARINER 805 S SILENCED SINGLE-PHASE MARINE GENERATOR 8 KW

MASE MARINER805S single phase silenced marine generator is equipped with a Yanmar 3TNV80F diesel engine capable of delivering a maximum power of 7.5 KW at 1500 rpm.

The MASE MARINER805S is built with and synchronous alternator, self-excited with air cooling, it is extremely compact and powerful, suitable even on small boats.

The MASE MARINER805S allows easy access for maintenance of the power and lubrication systems, seawater pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER805S is synchronous with 4 poles, self-regulated, self-excited, brushless, which in conjunction with the powerful Yanmar engine can deliver a maximum power of 8 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current as the home.

The MASE MARINER805S is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 51 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely light and of very high resistance to external agents.

## TECHNICAL FEATURES MASE MARINER805S

Phase Type: Single Phase

Maximum Output: 8 KW

Continuous Use Output: 7.5 KW

Fuel: Diesel



Voltage: 115 - 230 V  
Frequency: 50 Hz  
Engine: Yanmar 3TNV80F, 4 Stroke  
Mechanical Power: 12.7 Hp  
Number of Cylinders: 3  
Displacement: 1267 cc  
Rev Regulator: Mechanical Centrifugal  
Engine RPM: 1500 rpm  
Fuel Consumption: 2.9 l/h  
Sound Pressure: 51 dB(A) @ 7 m  
Alternator: Synchronous Brushless  
Voltage Regulator: AVR  
Length: 921 mm  
Width: 581 mm  
Height: 656 mm  
Weight: 295 Kg

If you are looking for another marine generator then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 8  
Continuous power single phase (KW): 7.5  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 115 / 230  
Engine: Yanmar 3TNV80F, 4 Tempi  
Engine rpm (rpm): 1500  
Speed governor: Centrifugal, mechanical  
Engine capacity (cm<sup>3</sup>): 1267  
Number cylinders: 3  
Cooling: Air  
Inyección : Direct  
Alternator: Synchronous, self-excited  
Poles: 4  
Lubrication: Forced  
Consumption (L/h): 2.9 at 100% of the load  
Acoustic pressure: 51 dB(A) at 7 m  
Length (mm): 921

---

Width (mm): 581  
Height (mm): 656  
Dry weight (Kg): 295  
Inverter: No  
AVR: Yes  
Compound: No  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
Voltage regulator: AVR  
Engine manufacturer: Yanmar