



# MASE MARINER 906 S SINGLE PHASE MARINE GENERATOR SILENCED 9KW EPA

## Product description:

MASE MARINER 906 S SILENCED SINGLE-PHASE MARINE GENERATOR 9KW EPA

MASE MARINER906S single-phase silenced marine generator is equipped with a YANMAR 3TNV80F engine with **EPA emissions standard**, powered by diesel and capable of delivering a maximum power of 9 KW at 1800 rpm.

The MASE MARINER906S is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, suitable even on small boats. The alternator is complete with a voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like at home.

The MASE MARINER906S allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high temperature engine or exhaust gas.

The MASE MARINER906S is equipped with a soundproof cabin that makes it super silent, with a sound emission of 53dB(A) at a distance of 7 m. The painted aluminum soundproofing cabin is extremely lightweight and of very high resistance to external agents.

The MASE MARINER906S marine generator has **EPA certification** valid only for the **US market**.

## TECHNICAL FEATURES MASE MARINER906S

Phase Type: Single Phase

Maximum Power: 9 KW

Fuel: Diesel

Voltage: 120 - 240 V

Frequency: 60 Hz  
Engine: YANMAR 3TNV80F, 4 Stroke  
Emission Standard: EPA  
Mechanical Power: 14. 35 Hp  
Number of cylinders: 3  
Displacement: 1267 cc  
Engine RPM: 1800 rpm  
Fuel consumption: 3. 1 l/h  
Sound pressure: 53 dB(A) @ 7 m  
Alternator: Synchronous Brushless  
Voltage regulator: Yes  
Length: 921 mm  
Width: 581 mm  
Height: 656 mm  
Weight: 295 Kg

If you are looking for another marine generator then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

**Product features:**

Phase: Single phase  
Maximum power single phase (KW): 9  
Fuel: Diesel  
Frequency (Hz): 60  
Voltage (V): 120 / 240  
Engine: YANMAR 3TNV80F  
Emissions Regulations: EPA  
Engine rpm (rpm): 1800  
Speed governor: Centrifugal, mechanical  
Engine capacity (cm<sup>3</sup>): 1267  
Number cylinders: 3  
Cooling: Air  
Inyección : Direct  
Alternator: Synchronous, self-excited  
Poles: 4  
Lubrication: Forced  
Consumption (L/h): 3.1 at 100% of the load  
Acoustic pressure: 53 dB(A) at 7 m  
Length (mm): 921  
Width (mm): 581

---

Height (mm): 656  
Dry weight (Kg): 295  
Inverter: No  
AVR: No  
Compound: No  
Silenced: Yes  
Super silenced: Yes  
Voltage regulator: YES