



PRAMAC P3500i SINGLE-PHASE INVERTER GENERATOR 3KW

Product price:

1.055,00 € tax excluded

Product description:

PRAMAC P3500i SINGLE-PHASE INVERTER GENERATOR 3KW

PRAMAC P3500i is a single-phase Generator with a 4-stroke gasoline engine, compact and easy to use capable of delivering a power of 3KW.

The PRAMAC P3500i generator is equipped with an alternator with AVR regulation, and is ideal for all electronic devices thanks to the Inverter technology.

The PRAMAC P3500ir is equipped with POWERRUSH starting that provides extra current when needed, allowing to win the cue during the starting of electric motors This generator has a low fuel consumption, in fact it can guarantee an autonomy of 6.3 hours at 75% of the load.

PRAMAC P3500i thanks to its only 49.5kg and an extremely compact body, the use and handling of this machine will be extremely simple. Thanks to its characteristics, it is easily adaptable to various uses such as homes, itinerant installations, campsites, hobbies, construction sites etc.

Thanks to the inverter technology and the AVR voltage regulator of the latest generation, the generator is super silenced, PRAMAC P3500i in fact has a noise emission of only 61 dB (A) at @ 7 m.

PRAMAC P3500i TECHNICAL FEATURES:

Phase Type: Single Phase
Maximum Power: 3.3 KW
Continuous Power: 3.0 KW
Fuel: Gasoline
Voltage: 230 V
Frequency: 50 Hz
Motor: 4 Strokes





Start: Electric with battery
Acoustic Power: 61 dB(A) @ 7m
Voltage controller: Inverter
Tank capacity: 10 Lt
Autonomy: 6.3 h at 75% load
Length: 601 mm
Width: 458 mm
Height: 522 mm
Weight: 49.5 Kg

Discover the full range of current generator brand PRAMAC or other top brands, browsing our catalog to find the one that best suits your technical needs.

The images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Phase: Single phase
Maximum power single phase (KW): 3.3
Continuous power single phase (KW): 3
Fuel: Gasoline
Frequency (Hz): 50
Voltage (V): 230
Engine: 4 stroke
Starting system: Electric
Fuel tank capacity (L): 10
Running time (h): 6.3
Acoustic pressure: 61 dB(A) at 7 m
Length (mm): 601
Width (mm): 458
Height (mm): 522
Dry weight (Kg): 49.5
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: AVR + Inverter
Video: vd3FpynUeGA

