



GENSET MG 6/4 I-D/AE-Y SINGLE-PHASE/THREE- PHASE GENERATOR 6,5 KVA

Product price:

2.858,55 € tax excluded

Product description:

GENSET MG 6/4 I-D/AE-Y SINGLE-PHASE/THREE-PHASE GENERATOR 6,5 KVA

GENSET MG 6/4 I-D/AE-Y is a single-phase generating set equipped with a Yanmar L100N StageV engine powered by Diesel, capable of delivering a maximum power of 6.5 KVA.

The GENSET MG 6/4 I-D/AE-Y also has a low fuel consumption: only 1.5 Lt/h at 75% load. The GENSET MG 6/4 I-D/AE-Y generator set, thanks to the high quality and efficiency of its components, is ideal for various types of work: from small hobby work to large construction sites.

The GENSET MG 6/4 I-D/AE-Y generator set is ideal for various types of work: from small hobby work to large construction sites.

The genset is easy to install and operate, as well as simple to start and stop thanks to the clear and intuitive controls. GENSET MG 6/4 I-D/AE-Y is equipped with a Yanmar L100N Diesel engine. They are very reliable engines that guarantee efficient combustion and low fuel consumption, they are also equipped with a protection system that causes the engine to stop if the oil level is too low.

GENSET MG 6/4 I-D/AE-Y are equipped with a 5.5-liter tank with a large cap that is easy to unscrew even with work gloves

GENSET MG 6/4 I-D/AE-Y has an all-steel structure and a large metal tank. The generator guarantees an efficient and silent operation thanks to the Yanmar L100N which allows to deliver a maximum power of 6,5 KVA.

The generator set comes with:



- 1 single-phase socket CEE 16 A - 230 V
- 1 three-phase socket CEE 16 A - 400 V
- Starter battery
- Hour meter
- Voltmeter
- Low oil pressure and battery charge warning lights
- Power output protection
- Differential circuit breaker
- Arrangement for operation in AMF-ATS or Remote control

TECHNICAL CHARACTERISTICS GENSET MG 6/4 I-D/AE-Y

Phase Type: Single-Phase / Three-Phase
Maximum Single-Phase Power: 2.1 KVA / 1.7 KW
Maximum Single-Phase Power: 6.5 KVA / 5.2 KW
VAC Voltage: 230 / 400 V
Frequency (Hz): 50
Starting Frame: Electric
Motor: Yanmar L100V
Emission Standard: StageV
RPM: 3000
Power supply: Diesel
Fuel tank capacity: 5.5 l
Consumption @ 75 % load: 1.5 l/h
Autonomy @ 75 % load: 3.6 h
Sound pressure: 99 dB(A)
Length: 820 mm
Width: 580 mm
Height: 610 mm
Net weight: 110 Kg

Are you looking for a power generator with different characteristics? Here you can find the full range of products GENSET or other brands specializing in the field

Images and technical data are not binding and may be subject to revision by the supplier.

Product features:

Phase: Single phase / Three phase
Maximum power single phase (KW): 1.7
Maximum power single phase (KVA): 2.1
Maximum power three phase (KW): 5.2
Maximum power three phase (KVA): 6.5



Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230
Sockets configuration: 1x CEE 16 A - 230 V 1xCEE 32 A - 230 V
Engine: Yanmar L100N
Emissions Regulations: Stage 5
Engine rpm (rpm): 3000
Starting system: Electric
Engine capacity (cm³): 435
Number cylinders: 1
Cooling: Air
Alternator: Synchronous
Protection degree: IP23
Motor insulation class: H
Fuel tank capacity (L): 5.5
Consumption (L/h): 1.5
Running time (h): 3.6
Acoustic power: 99 dB(A)
Acoustic pressure: 74 dB(A) at 7 m
Length (mm): 820
Width (mm): 580
Height (mm): 610
Dry weight (Kg): 110
Silenced: No
Super silenced: No
Product type: Generator
ATS Switch device : Optional
Voltage regulator: Compound / AVR (optional)
Engine manufacturer: Yanmar