



# HONDA FR 750 K3 DE COUNTER-ROTATING ROTARY TILLER 200 cc

**Product price:**

**2.287,00 € tax excluded**

## **Product description:**

HONDA FR 750 K3 ROTARY TILLER 200 cc

HONDA FR750K3 is a rotary tiller complete with a 4-stroke Honda GX200 petrol engine capable of delivering a net power of 4.1KW.

HONDA FR750K3 rotary tiller is a powerful and reliable rotary tiller suitable for all types of applications. They are very easy to handle and their special counter-rotating tiller speeds up the work enormously.

Using HONDA FR750K3 is as easy as taking a walk. That's because the high-performance OHC GCV160 4-stroke features multiple gears and delivers only the amount of power you need each time, regardless of working conditions.

HONDA FR750K3 rotary tiller delivers stable and reliable power with reduced and cleaner emissions, plus 4-stroke gasoline engines avoid the mess associated with mixing oil and fuel.

HONDA FR750K3 do not require a warm-up interval to reach maximum performance. This translates into excellent fuel economy and, as a result, greater savings.

Thanks to its powerful 4-theme engine, transmission unit and a strong clutch, HONDA FR750K3 rotary tiller is able to unleash all its power towards counter-rotating blades, allowing you to have an excellent result with minimum effort and time.

## TECHNICAL CHARACTERISTICS HONDA FR750K3

Engine: Honda GX200, OHC 4 Stroke

Displacement: 200 cc

Net power: 4.1KW

Engine speed: 3600 rpm





Net torque: 12.4 Nm / 2500 rpm  
Fuel tank capacity: 2.5 l  
Oil capacity: 0.6 l  
Start: Pull start  
Transmission clutch: Manual - belt tension  
Transmission: Variable slip  
Final drive: Cutters - chain  
Differential / side clutch: Yes  
Sound pressure at operator's ear: 79 dB(A)  
Guaranteed sound power level: 97 dB(A)  
Vibrations: 3.5 m/sec<sup>2</sup>  
Maximum working width: 510 mm  
Maximum working depth: 326 mm  
Forward speed: 2  
Reverse speed: 1  
Forward rotation speed (rpm): 0.35 - 1.22 m/s  
Reverse rotation speed (rpm. ): 0.36 m/s  
PTO rotation speed (rpm): 238  
Length: 1500 mm  
Depth: 570 mm  
Height: 1140 mm  
Dry weight: 91 Kg

Are you looking for a rotary tiller with different technical features? here You can find the area dedicated to rotary tiller HONDA or other specialized brands.

The images and technical data are not binding and may be subject to revisions by the manufacturer.

HONDA FR750K3

#### **Product features:**

Fuel: Gasoline  
Engine: Honda GX200 4 tempi  
Engine rpm (rpm):  
Ignition: Recoil  
Starting system: Pull starter with recoil  
Engine capacity (cm<sup>3</sup>): 200  
Oil capacity (L):  
Working width (mm): 510  
Transmission: Variable Scroll  
Net power (kW): 4.1  
Fuel tank capacity (L): 2.5



Acoustic power: 97 dB(A)  
Acoustic pressure: 79 dB(A)  
Length (mm): 1500  
Width (mm): 570  
Height (mm): 1140  
Dry weight (Kg): 91  
Speeds: 2 Avanti + 1 Retro  
Max tilling depth (mm) : 326  
Engine manufacturer: Honda