



# MCH MINIDUMPER H500C L70-E POWER CARRIES DUMPER CART SELF- LOADING SHOVEL STAGEV 500 kg

Product price:

**8.125,00 € tax excluded**

## Product description:

MCH MINIDUMPER H500C L70 -E POWER CARRIES DUMPER CART SELF-LOADING SHOVEL STAGEV 500 kg

MCH MINIDUMPER H500C L70-E is a power carries equipped with Yanmar L70-E STAGE V electric start engine with Diesel power, with a load capacity of up to 500Kg.

The MCH MINIDUMPER H500CL70-E power carries your work easier, make transporting heavy materials easier and safer. In addition, in reducing accidents at work, they also take away a weight from you.

MCH MINIDUMPER H500CL70-E is designed for the most demanding professionals, are equipped with a deep tipper, ideal for transporting materials (rubble, sand, stones, bricks, concrete, wood...). The power carries has a hydrostatic tipping function, which makes your work easier, allowing you to unload up to 500 kg with the simple action of the control lever.

Thanks to the Yanmar L70-E STAGE V diesel engine, you can enjoy incredible performance with low fuel consumption, so you can take full advantage of the MCH MINIDUMPER H500C L70-E tracked forklift.

The MCH MINIDUMPER H500CL70-E is equipped with a self-loading shovel, with which you can load and move, without any effort, materials of various kinds, in the construction and agricultural fields. The hydraulic self-loading shovel makes your work easier, make the transportation of heavy materials easier and safer, moreover, in reducing the possibility of accidents at work.

## TECHNICAL FEATURES MCH MINIDUMPER H500C L70-E



Engine: Yanmar L70-E  
Displacement: 320 cc  
Power: 4.8 KW  
Engine speed: 3600 rpm  
Fuel feed: Diesel  
Emissions regulation: Stage V  
Starting: Electric  
Transmission: Hydrostatic  
Forward speed: 1 Speed 2,5 Km/h  
Hydraulic motors type: Orbital  
Hydraulic motors displacement: 200cc  
Hydraulic pump type: Double gear  
Displacement: Fixed  
Maximum pressure: 180 bar  
Working pressure: 150 bar  
Pump capacity: 4,2+4,2 cc/rpm  
Safety system: Lockout valves  
Hydraulic oil tank: 14 l  
Dumper volume: 0.21 m<sup>3</sup>  
Tipping: Hydraulic  
Maximum slope allowed: 20%  
Flat load capacity: 500 kg  
Slope load capacity: 350 kg  
Rubber tracks (mm) : 180 x 60 x 38  
Width: 1478 mm  
Depth: 835 mm  
Height: 1250 mm  
Net weight: 380 kg

Are you looking for a crawler with different technical characteristics? Here you can find the full range of power carries from MCH or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

#### **Product features:**

Fuel: Diesel  
Engine: Yanmar L70-E  
Engine rpm (rpm): 3600  
Engine capacity (cm<sup>3</sup>): 320  
Power (KW): 4.8  
Transmission: Hydrostatics  
Length (mm): 1478

Width (mm): 835

Height (mm): 1250

Dry weight (Kg): 380

Speeds: 1

Capacità di carico in piano (Kg): 500