



# GREEN POWER GP 8000XM/HE SINGLE PHASE GENERATOR STAGE V ELECTRIC START 6,6KVA

Product price:

**1.551,70 € tax excluded**

## Product description:

GREEN POWER GP 8000XM/HE SINGLE-PHASE GENERATOR STAGEV ELECTRIC START 6,6KVA

The generator GREENPOWER GP 8000XM/HE single-phase is equipped with a gasoline-powered HONDA GX390 **StageV** engine, and is complete with capacitor voltage regulator (**AVR optional**).

GREENPOWER GP 8000XM/HE features electric start and has low fuel consumption, in fact it consumes only 2.1 liters/hour at 75% load for up to 2.9 hours of operation. Extremely practical sockets and controls make starting and operating the generator easy and quick.

The generator is compact and convenient to maneuver and transport thanks to its compact size, its weight of 94 kg as well as the practical tubular handles. In addition, it is equipped with a practical and convenient electric start system, so that it can be put into operation quickly and easily.

The GREENPOWER GP 8000XM/HE generator is equipped with a high performance HONDA GX390 StageV engine which allows this machine to deliver a maximum single-phase power of 6.6KVA.

The voltage regulator is an electronic device capable of automatically adjusting the voltage and possibly the frequency and/or the current according to set values. These values can be modified or bound to the technical characteristics of the regulator itself.

In essence, thanks to this device, the alternating current coming from the alternator is regulated

and transformed into direct current at constant voltage.

## STAGEV EMISSIONS REGULATION

The STAGEV standard defines the guidelines and limits for engine gas emissions. The regulation is respected through the installation of special anti-particulate filters in the gensets, but an indispensable condition for the filter to function correctly is that the genset works at its design temperature.

The control panel of the GREENPOWER GP 8000XM/HE generator is composed of:

- Output sockets: 1x 230V 32A CEE / 1x 230V 16A SCHUKO
- Thermal circuit breaker
- Voltmeter

## TECHNICAL FEATURES GREENPOWER GP 8000XM/HE

Phase Type: Single Phase

Continuous Use Power: 6 KVA / 6 KW

Maximum Power: 6.6 KVA / 6.6 KW

Motor: HONDA GX390

Motor RPM: 3000 rpm

Emission Standard: StageV

Start: Electric

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Socket panel: 1 x Schuko 16A 230V / 1 x CEE 32A 230V

Tank capacity: 6.1 l

Autonomy at 75% load: 2.9 h

Consumption at 75% load: 2.1 Lt/h

Length: 780 mm

Width: 570 mm

Height: 680 mm

Dry weight: 94 Kg

Are you looking for a generator with different technical characteristics? Here you can find the area dedicated to GREENPOWER generators or other specialized brands.

Images and technical data not binding.

### Product features:



Phase: Single phase

Maximum power single phase (KW): 6.6

Continuous power single phase (KW): 6

Maximum power single phase (KVA): 6.6

Continuous power single phase (KVA): 6

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 32A CEE - 1 x 230V 16A SCHUKO

Engine: Honda GX390

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Starting system: Electric

Engine capacity (cm<sup>3</sup>): 389

Number cylinders: 1

Cooling: Air

Alternator: LINZ E1C10 MI

Poles: 2

Fuel tank capacity (L): 6.1

Consumption (L/h): 2.1 at 75% of the load

Running time (h): 2.95 at 75% of the load

Length (mm): 780

Width (mm): 570

Height (mm): 680

Dry weight (Kg): 94

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : No

Voltage regulator: Capacitor / AVR (optional)

Engine manufacturer: Honda