



# GREEN POWER GP 4000XM/LM SINGLE- PHASE DIESEL GENERATOR STAGEV 3,5KVA

Product price:

**1.433,70 € tax excluded**

## Product description:

GREEN POWER GP 4000XM/LM SINGLE-PHASE DIESEL GENERATOR STAGEV 3,5KVA

The generator GREENPOWER GP 4000XM/LM single-phase is equipped with a KOHLER KD350 **StageV** engine supplied by Diesel, and is complete with capacitor voltage regulator (**AVR optional**).

GREENPOWER GP 4000XM/LM is equipped with manual recoil start with self winding and has a low fuel consumption, in fact it consumes only 1 liter/hour at 75% of load for a range of up to 4 hours of operation.

The GREENPOWER GP 4000XM/LM generator provides reliable power for home, work and recreation environments Safely appliances and other electronic devices Power solution for outdoor parties. Extremely convenient plugs and controls make starting and operating the generator easy and quick.

The GREENPOWER GP 4000XM/LM generator has a convenient double-curved handle for easy mobility and storage. GREENPOWER GP 4000XM/LM has a completely steel structure and a tank with a maximum capacity of 4 liters. The generator guarantees an efficient and silent operation thanks to the KOHLER KD350 StageV engine that allows to deliver a maximum power of 3,5KVA.

## STAGEV EMISSION STANDARD

The acronym STAGEV defines the guidelines and limits of gas emissions from engines. The regulation is respected through the installation of special anti-particulate filters in the gensets, but



an indispensable condition for the filter to work correctly is that the genset works at its design temperature.

#### TECHNICAL CHARACTERISTICS GREENPOWER GP 4000XM/LM

Phase Type: Single Phase  
Continuous Use Power: 3.1 KVA / 3.1 KW  
Maximum Power: 3.5 KVA / 3.5 KW  
Motor: KOHLER KD350  
Motor RPM: 3000 rpm  
Emissions Standard: StageV  
Start: Manual recoil  
Fuel: Diesel  
Voltage: 230 V  
Frequency: 50 Hz  
Socket panel: 2 x Schuko 16A 230V  
Tank capacity: 4 l  
Autonomy at 75% load: 4 h  
Consumption at 75% load: 1 Lt/h  
Length: 700 mm  
Width: 570 mm  
Height: 630 mm  
Dry weight: 69 Kg

Are you looking for a generator with different technical characteristics? Here you can find the area dedicated to GREENPOWER generators or other specialized brands.

Images and technical data not binding.

#### Product features:

Phase: Single phase  
Maximum power single phase (KW): 3.5  
Continuous power single phase (KW): 3.1  
Maximum power single phase (KVA): 3.5  
Continuous power single phase (KVA): 3.1  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 2 x 230V 16A SCHUKO  
Engine: Kohler KD 350  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000



---

Starting system: Pull starter with recoil  
Engine capacity (cm<sup>3</sup>): 315  
Number cylinders: 1  
Cooling: Air  
Alternator: LINZ SP10 SE  
Poles: 2  
Fuel tank capacity (L): 4  
Consumption (L/h): 1 at 75% of the load  
Running time (h): 4 at 75% of the load  
Length (mm): 570  
Width (mm): 700  
Height (mm): 630  
Dry weight (Kg): 69  
Silenced: No  
Super silenced: No  
ATS Switch device : No  
Voltage regulator: Capacitor / AVR (optional)  
Engine manufacturer: Kohler

