



# HYUNDAI SUPER-SILENCED SINGLE-PHASE / THREE-PHASE DIESEL GENERATOR 11 KW AVR

Product price:

**4.395,82 € tax excluded**

## Product description:

HYUNDAI SUPER-SILENCED SINGLE-PHASE / THREE-PHASE DIESEL GENERATOR 11 KW AVR

The generator HYUNDAI single/three-phase is equipped with a 954 cc Diesel engine, is able to deliver a power of 11 KW and is complete with AVR voltage regulator.

The HYUNDAI generator is equipped with **electric start** with 12V 45A/h battery and with a low fuel consumption, in fact it consumes only 4.4 liters/hour at 50% of the load, combined with a capacious tank of 53 l of maximum capacity, it will give you an autonomy of about 12 hours.

This generator is equipped with a soundproof cabin, made of carbon steel, bent and electro-welded, with protection class IP23 and openable. This cabin allows the HYUNDAI super-silenced generator set to deliver a sound pressure of only 69 dB(A) @ 7 meters. The generator is predisposed for automatic start-up by means of an ATS panel, which allows automatic ignition in case of blackout.

## AUTOMATIC TRANSFER SWITCH ATS

The generator is prearranged for the use of Automatic Transfer Switch ATS. Thanks to which you will no longer have to worry about black-outs because if the mains fails this panel is able to start the generator automatically and allow you to continue your activity without losing your work data.

## TECHNICAL FEATURES HYUNDAI GENERATOR

Type of phase: Singlephase / Threephase  
Continuous use power: 12.5 KVA / 10 KW  
Maximum power: 13.7 KVA / 11 KW  
Engine: 4 strokes  
Engine revs: 3000 rpm  
Emissions regulation Not Emitted  
Starting: Electric / Automatic  
Fuel: Diesel  
Voltage: 230 / 400 V  
Frequency: 50 Hz  
Socket panel: 1 x 32A / 1 x 63A  
Voltage regulator: AVR  
Tank capacity: 53 l  
Autonomy at 50% load: 12 h  
Consumption at 50% load: 4.4 Lt/h  
Acoustic pressure: 69 dB(A) @ 7 m  
Length: 1200 mm  
Width: 800 mm  
Height: 1160 mm  
Dry weight: 318 Kg

Are you looking for a generating with different technical characteristics? [HERE](#) you can find the area dedicated to HYUNDAI generators or other specialized brands.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase / Three phase  
Maximum power single phase (KW): 11  
Continuous power single phase (KW): 10  
Maximum power single phase (KVA): 13.75  
Continuous power single phase (KVA): 12.5  
Maximum power three phase (KW): 11  
Continuous power three phase (KW): 10  
Maximum power three phase (KVA): 13.75  
Continuous power three phase (KVA): 12.5  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230 / 400  
Sockets configuration: 1 x 32A / 1 x 63A  
Engine: 4 stroke  
Engine rpm (rpm): 3000

---

Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 954  
Oil capacity (L): 3  
Fuel tank capacity (L): 53  
Consumption (L/h): 4.4  
Running time (h): 12 at 50% of the load  
Acoustic pressure: 69 dB(A) at 7 m  
Length (mm): 1200  
Width (mm): 800  
Height (mm): 1160  
Dry weight (Kg): 318  
Silenced: Yes  
Super silenced: Yes  
ATS Switch device : Optional  
Voltage regulator: AVR  
Engine manufacturer: Hyundai