



# HONDA OUTBOARD BF 135D LCRU SPORTY WHITE LONG SHAFT 135 HP

**Product price:**

**11.150,00 € tax excluded**

## **Product description:**

HONDA OUTBOARD BF 135D LCRU SPORTY WHITE LONG SHAFT 135 HP

Honda BF 135D LCRU SPORTY WHITE are outboard engines perfect for professional use, they are reliable, compact and lightweight complete with PGM-Fi electronic fuel injection system.

HONDA BF 135D LCRU are outboards optimized to offer more power for a wide range of different boats. The firm, smooth power this advanced technology offers is sure to put a smile on your face as you venture out to sea.

HONDA BF 135D LCRU SPORTY WHITE outboard is a large displacement engine that delivers superior torque and top speed and is capable of delivering power and performance for both professional and competition use.

Honda BF 135D LCRU SPORTY WHITE is equipped with the special ECOmo low-blend combustion control system that ensures significant fuel economy from RPM and performance. Much less fuel is consumed once rpm is reached. ECOmo is a poor-blend combustion control system that delivers significant fuel savings from RPM and performance.

Honda's dual-stage air induction works with a shuttle valve built into the Variable Air Intake (VAI) manifold. When fully open, this valve changes the resonance and airflow generating more torque at low rpm. When the throttle valve is fully open and revs increase, the cooling valve closes and creates a direct airflow to the engine. This delivers more power above 3500 rpm. Combined with the BLAST™ system, you get a disruptive effect.

The HONDA BF 135D LCRU Boasting LoW Speed Torque (BLAST) system significantly improves performance and acceleration by automatically anticipating injection times and increasing the air/fuel ratio.



---

TECHNICAL FEATURES HONDA BF 135D LCRU SPORTY WHITE

Net Power (kW): 99.3  
Net Power (Hp): 135  
Displacement: 2354 cm<sup>3</sup>  
Shaft Length: Long  
Starter: Electric  
Ignition system: Electronic PGM-IG  
Fuel supply: PGM-FI (Programmed electronic injection)  
Engine trim and lift: Electric  
Bore x stroke: 89 x 96 mm  
Engine: Honda DOHC, 4-stroke  
Number of cylinders: 4 in line  
Speed at full throttle (rpm): 5000-6000  
Cooling system: Water  
Battery charge capacity (A): 40  
Propeller rotation: counter-rotating  
Transom height (mm): 508  
Length (mm): 845  
Width (mm): 580  
Height (mm): 1665  
Dry weight (Kg): 214

Are you looking for an outboard with different technical characteristics? Here you can find the entire Honda range or other brands specializing in the sector.

The images are purely indicative.

**Product features:**

Fuel: Gasoline  
Engine: DOHC, 4 tempi  
Ignition: Electronic PGM-IG  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 2354  
Number cylinders: 4  
Cylinders' position: In line  
Cooling: Water (with thermostat)  
Bore x stroke (mm): 87 x 99  
Rpm at full throttle (rpm): 5000 - 6000  
Appearance and engine lifting: Electric  
Transom height (mm): 508  
Net power (kW): 99.3

---

Length (mm): 845  
Width (mm): 580  
Height (mm): 1665  
Dry weight (Kg): 214  
Shaft Length: L  
Controls: Remote