



# BADA TMB-20S/T TRANSPALLET MANUAL WEIGHING SYSTEM WEIGHING CAPACITY 2000 Kg STAINLESS STEEL



**Product price:**

**4.307,00 € tax excluded**

## **Product description:**

BADA TMB-20S/T TRANSPALLET MANUAL WEIGHING SYSTEM WEIGHING CAPACITY 2000 Kg

The BADA TMB-20S/T transpallet in AISI 304 stainless steel equipped with an integrated weighing system, designed for use in humid and corrosive environments where required impeccable cleanliness and hygiene and to solve corrosion problems associated with the use of acids and saline solutions.

Thanks to its construction characteristics, and the construction entirely in **AISI 304 stainless steel**, the pallet truck can be used in the food, chemical and pharmaceutical industries.

Resistant, easy to handle and with an ergonomic design, it fully responds to the most stringent hygienic requirements as it can be sanitized with regular high pressure washing.

The weighing system consisting of 4 IP68 stainless steel load cells positioned under the forks, a compact multifunction weight indicator, practical for use by the operator and such as not to hinder the handling maneuvers. With the BADA TMB-20S/T transpallet, for each lifted load it is possible to immediately know the relative weight, optimizing the movement and handling of the goods, thus saving time and labor.

BADA TM-20S/T is a pallet truck built entirely in AISI 304 stainless steel (including the lifting pump and hydraulic components), and is equipped with waterproof bearings and bushings built in polyamide material as required by the food industry.



The BADA TMB-20S/T pallet truck can be supplied with optional accessories (at the explicit request of the customer with a surcharge) which further increase its efficiency. The customer can request:

- AISI 316 stainless steel fitting
- printer for weighing system
- frame made to measure for gripping special loads
- fork width and / or non-standard fork gauge

#### TECHNICAL CHARACTERISTICS BADA TM-20S/T

Type of propulsion: Manual  
Driving system: Manual  
Lifting: Manual  
Construction material: AISI 304 stainless steel  
Capacity: 2000 Kg  
Quantity of rear wheels : 1 (2 optional)  
Quantity of front wheels: 2  
Lifting height: 115 mm  
Fork width: 180 mm  
Fork length: 1150 mm  
Turning radius : 1350 mm  
Closed upright height: 1215 mm  
Total length: 1530 mm  
Total width: 535 mm  
Dry weight: 150 Kg

Are you looking for a pallet truck with different technical characteristics? [HERE](#) you can find the area dedicated to BADA or other Transpallet specialized brands.

Images and technical data are not binding.

#### **Product features:**

Drive: Manual  
Operator type: Manual  
Load capacity (Kg): 2000  
Service weight (Kg): 150  
Tyres: front wheels: POLY.I. / NYLON  
Tyres: rear wheels: POLY.I. / NYLON  
Quantity rear wheels: 2  
Quantity front wheels: 1 ( 2 Optional )  
Rear balancing axle: No

---

Lift height (mm): 115  
Height of tiller in drive position max (mm): 1215  
Height lowered (mm): 90  
Overall length (mm): 1530  
Overall width (mm): 535  
Thickness fork (mm): 60  
Width fork (mm): 180  
Length fork (mm): 1150  
Distance between fork arms (mm): 175  
Turning radius (mm): 1350  
Weigher: Yes  
Type of lifting: Manual