



ITALTOWER STREET SOLAR PRO01 LIGHT TOWER 6000lm ELECTRIC SOLAR ENERGY

Product price:

2.124,00 € tax excluded

Product description:

ITALTOWER STREET SOLAR PRO01 LIGHT TOWER 6000lm ELECTRIC SOLAR POWER

ITALTOWER STREET SOLAR PRO01 is a lighting tower equipped with 6000lm LED floodlights, capable of illuminating an area of 450 square meters.

The ITALTOWER STREET SOLAR is equipped with a practical manual lifting system that allows it to be extended to a maximum height of 5.5 meters in height. Once fully extended, the lighting tower will have a maximum wind stability of 80 km / h even though it does not have stabilization feet.

The supplied lithium battery supplies power to the ITALTOWER for a maximum of 5 hours at full power. The ITALTOWER STREET SOLAR PRO01 does not need to be charged thanks to the provision of a solar panel that provides the auxiliary power supply of the battery, completing a complete charge cycle in about 7 hours.

The ITALTOWER is equipped with a control panel, with which you can check the battery charge status, turn the headlights on or off with the practical On / Off button and decide the light intensity delivered by the headlights. By wisely adjusting the light intensity supplied by the headlights, the ITALTOWER STREET SOLAR will allow you a continuous lighting 24 hours a day without the need to be turned off or recharged.

ITALTOWER STREET SOLAR PRO01 TECHNICAL FEATURES

Type of headlights: LED (Osram)
Total Lumens: 6000 lm
Color temperature: 5700K Ra 70+
Efficiency: 190 lm / W



IP / IK class: IP65 / IK10

Lighting area: 450 m²

Battery type: Lithium

Capacity: 14.8V / 2.6AH

Charging time: 7 hours

Battery status

Green: > 70%

Orange: 30% - 70%

Red: < 30%

Solar panel power: 60 W

Height: 5.5 m

Lift system: Manual

Wind resistance: 80 Km / h

Min dimension: 1200 x 800 x 1860 mm

Max dimension: 1200 x 1291 x 5500 mm

Weight: 270 kg

Are you looking for a product with different characteristics? HERE you can find the entire range of ITALTOWER lighting towers or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the supplier.

Product features:

Phase: Single phase

Frequency (Hz): 50

Type of lamps: LED

Telescopic pole: Galvanized steel

Illuminated area (m²): 450

Total lumens (Lm): 6000

Lifting System: Manual lifting system

Maximum height (m): 5.5

Open size (mm):

Closed size (mm): 1200 x 800 x 1860

With generator / Without generator: Electric Battery and Solar Panel

Transportability: Stationary

Stability to wind (Km/h): 80 Km/h

Weight (Kg): 270