



WHISPER M-GV8 PICCOLO SINGLE-PHASE MARINE GENERATOR 8KVA INVERTER STAGE V

Product price:

13.543,00 € tax excluded

Product description:

WHISPER M-GV8 PICCOLO SINGLE-PHASE MARINE GENERATOR 8KVA INVERTER STAGE V

WHISPER M-GV8 PICCOLO single-phase marine generator with Kubota Z482 StageV diesel-powered engine delivers a power of 8KVA, **complete with INVERTER voltage regulator.**

The WHISPER M-GV8 PICCOLO is designed with a soundproof cabin that makes it **super-silenced**. The excellent accessibility to the internal compartment makes maintenance interventions easier even with the generator WHISPER M-GV8 PICCOLO installed in confined spaces.

Thanks to the electric stabilizer of the Inverter technology that works at very low distortion, the WHISPER M-GV8 PICCOLO delivers constant current loads without voltage peaks that could damage electrical and electronic devices. Another advantage of the inverter is to work with variable motor revolutions, based on the current need to be supplied, optimizing fuel consumption, gas emission and wear of the mechanical parts.

STAGEV EMISSIONS REGULATION

The WHISPER M-GV8 PICCOLO marine generator is equipped with a "mobile" STAGEV motorization, as required by the European Regulation 2016/1628. These new engines make it possible to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator WHISPER M-GV8 PICCOLO into the environment, and ensure a reduction in the environmental impact of 200% compared to standard engines.





Technical features WHISPER M-GV8 PICCOLO:

Phase Type: Single Phase
Maximum Power: 8 KVA / 6.4 KW
Continuous Power: 7.5 KVA / 6 KW
Fuel: Diesel
Voltage: 230 V
Frequency: 50 Hz
Engine: Kubota Z482
Emission standard: Stage V certified / EPA Tier 4
Number of cylinders: 2
Displacement: 479 cc
Engine RPM: 2400 / 2800 rpm
Fuel consumption: 2.5 l/h at 100% load
Acoustic power: 51 dBA @ 7 m
Voltage regulator: Inverter
Length x width x height (generator): mm 660 x 550 x 622
Length x width x depth (PMG): mm 436 x 196 x 148
Dry weight (generator + PMG): 155 + 7.6 kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to WHISPER marine generators or other specialized brands.

Non-binding images and technical data.

Product features:

Phase: Single phase
Maximum power single phase (KW): 6.4
Continuous power single phase (KW): 6
Maximum power single phase (KVA): 8
Continuous power single phase (KVA): 7.5
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230
Engine: Kubota D722
Emissions Regulations: StageV Certified / EPA Tier 4
Engine rpm (rpm): 2400 - 2800
Engine capacity (cm³): 479
Number cylinders: 2
Cooling: Indirect water cooling
Consumption (L/h): 2.5 at 100% of the load
Acoustic pressure: 51 dB(A) at 7 m



Length (mm): 660

Width (mm): 550

Height (mm): 622

Dry weight (Kg): 155 + 7.6

Silenced: Yes

Super silenced: Yes

Product type: Generator

Voltage regulator: Inverter

Engine manufacturer: Kubota