



PRAMAC LIFTER GS/P 25 PALLET TRUCK 1185x555 WITH DIGITAL WEIGH

Product price:

1.560,00 € tax excluded

Product description:

PRAMAC LIFTER GS/P 25 PALLET TRUCK 1185x555 WITH DIGITAL WEIGH

Lifter GS/P pallet truck is a smart and robust tool you can use to weigh and transport your loads at the same time, making storage and shipping processes faster, easier and more efficient. The machine can be equipped with supplements such as printer or USB and thanks to the 4 load cells it is able to be very precise and functional; ideal for checking incoming goods, avoiding overloads and determining shipping weights.

Its large 6-digit LCD display provides accurate and precise weighing in kg and lb. Its software allows not only net / gross / tare weighing, but also unit counting, adding and counting of multiple loads. Weights are displayed in 1 kg / lb steps with an accuracy of 0.05%.

The structure is designed with a double frame consisting of a lower fork on which a counter fork is located. Both forks house two load cells that allow uniform load distribution and maintain high weighing accuracy even in the event of a collision and unbalanced load.

The machine is supplied complete with rechargeable battery and charger. The battery module guarantees 50 hours of autonomy.

TECHNICAL FEATURES LIFTER GS/P 25

Type of propulsion: Manual
Lifting: Manual
Drive system: Accompaniment
Front tires: POLY.I./NYLON
Rear tires: POLY.I.
Scale type: DFW 06 XPCA
Autonomy: 50 h
Full scale accuracy: 0.05%



Battery voltage: 6 V
Nominal battery capacity: 4 Ah
Track width Front: 155 mm
Rear track: 375 mm
Lift height: 115 mm
Drawbar height in driving position max: 1185 mm
Drawbar height in driving position min : 710 mm
Fork height lowered: 90 mm
Overall length: 1596 mm
Drive unit length: 411mm
Overall width: 555 mm
Fork dimensions - Thickness: 60 mm
Fork dimensions - Width: 180 mm
Fork length: 1185 mm
Fork width: 555 mm
Clearance at mid-step: 30 mm
Storage aisle for pallet 800x1200: 2085 mm
Turning radius: 1426 mm
Capacity: 2500 kg
Mass in service with battery: 117 Kg

Are you looking for a pallet truck with different technical characteristics? [HERE](#) you can find the area dedicated to LIFTER pallet trucks or other specialized brands.

Pictures and technical data are not binding.

Product features:

Drive: Manual
Operator type: Pedestrian
Load capacity (Kg): 2500
Load centre distance (mm): 600
Load axle to end forks (mm): 975
Wheel base (mm): 1250
Service weight (Kg): 117
Axle load, laden rear (Kg): 1836
Axle load, laden front (Kg): 781
Axle load, unladen front (Kg): 71
Axle load, unladen rear (Kg): 46
Tyres: front wheels: POLY.I. / NYLON
Tyres: rear wheels: POLY.I.
Diameter steering wheels (mm): 200
Width steering wheels (mm): 55

Diameter load rollers (mm): 82
Width load rollers (mm): 60
Quantity rear wheels: 2
Rear balancing axle: No
Tread front (mm): 155
Tread rear (mm): 375
Lift height (mm): 115
Height of tiller in drive position max (mm): 1185
Height lowered (mm): 90
Overall length (mm): 1596
Length to face of forks (mm): 411
Overall width (mm): 555
Thickness fork (mm): 60
Width fork (mm): 180
Length fork (mm): 1185
Distance between fork arms (mm): 555
Ground clearance at centre of wheelbase (mm): 30
Aisle width (mm): 2085
Turning radius (mm): 1426
Lifting speed laden (strokes): 12
Lifting speed unladen (strokes): 12
Weigher: Yes