

# GENERAC LT V20 Y2 LIGHT TOWER 4x320W G4 LED FAST TROLLEY



**Product price:**

**11.655,00 € tax excluded**

## **Product description:**

GENERAC LT V20 Y2 LIGHT TOWER 4x320W G4 LED FAST TROLLEY

GENERAC LT V20 Y2 is the perfect solution for you. a mobile light tower equipped with 4 320W LED projectors that can be lifted up to a height of 8.5 m, capable of illuminating an area of 4500 m<sup>2</sup>.

The lighthouse tower is located in the center of the city. equipped with a Yanmar 2TNV-70 diesel powered engine, which in combination with the large 100 l tank can guarantee an autonomy of 140 hours of work. The GENERAC LT V20 Y2 has an extremely silent operation, in fact it has a sound emission of only 58 dB(A) at 7m.

Equipped as standard with the GTL01 digital control, specifically designed to manage each tower function to improve ease of operation. of use. To improve safety, the GENERAC LT V20 Y2 supplies its projectors with low voltage 48V.

Thanks to the 230 V socket supplied It is possible to connect one GENERAC LT V20 Y2 to another to use two lighting towers with a single motor, thus saving fuel and money.

Three doors for easy access, two of which are "gull-wing" allow full access to the engine for safe and fast maintenance. A rear door for access to the digital control panel. The special shape of the adjustable stabilizers allows the operator to level the V20 in seconds.

## TECHNICAL SPECIFICATIONS GENERAC LT V20 Y2

Power of the lamps: 4 x 320 W

Type of lamp: LED

Total lumens: 188160 Lm

Illuminated area: 4500 m<sup>2</sup>

Lifting system: Hydraulic

Pole rotation: 340°  
Engine: Yanmar 2TNV-70  
Engine cooling: Liquid  
Cylinders (N): 2  
Speed; engine (50/60 Hz): 1500 / 1800 rpm  
Liquid collection tank (110%): Yes  
Alternator (kVA/V/Hz): 5/220/50 – 5/240/60  
Electrical socket (kVA/V/Hz): 2/220/50 – 2/240/60  
Power plug (A/V/Hz): 16/220/50 – 16/240/60  
Average sound pressure: 58 dB(A) @ 7m  
Wind resistance: 110 km/h  
Capacity: tank: 100 l  
Autonomy: 143 h  
Dim. minimum (L x P x H): 2250 x 1400 x 2436 mm  
Dim. dimensions (L x P x H): 2640 x 1900 x 8500 mm  
Dry weight: 1030 kg

Are you looking for a lighting tower with different technical characteristics? HERE you can find the entire range of GENERAC lighting towers or other specialized brands.

Non-binding images and technical data.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KVA): 5  
Fuel: Diesel  
Voltage (V): 230  
Engine: Yanmar 2TNV-70  
Emissions Regulations: Not Emitted  
Engine rpm (rpm): 1500 / 1800  
Number cylinders: 2  
Cooling: Liquid  
Type of lamps: LED  
Lamps: 4 x 320 W  
Illuminated area (m<sup>2</sup>): 4500  
Total lumens (Lm): 188160  
Lifting System: Hydraulic lifting system  
Maximum height (m): 8.5  
Mast rotation: 340°  
Open size (mm): 2640 x 1900 x 8500  
Closed size (mm): 2250 x 1400 x 2436  
With generator / Without generator: With generator

---

Transportability: Fast Trailer  
Stability to wind (Km/h): 110  
Fuel tank capacity (L): 100  
Running time (h): 143  
Acoustic pressure: 58 dB(A) at 7 m  
Dry weight (Kg): 980  
Engine manufacturer: Yanmar