

# WEBASTO BLUECOOL S-13 SINGLE-BLOCK NAUTICAL AIR CONDITIONER 13000 BTU/h



**Product price:**

**2.572,91 € tax excluded**

## **Product description:**

WEBASTO BLUECOOL S-13 SINGLE-BLOCK NAUTICAL AIR CONDITIONER 13000 BTU/h

Webasto BlueCool S-13 is a nautical air conditioner in a monoblock unit suitable for use on boats, with a rated cooling capacity of 13000 BTU/h.

The Webasto BlueCool S-13 is a nautical designed to provide an effective and reliable solution for indoor air conditioning in boats. Thanks to its cooling capacity, the Webasto BlueCool S-13 nautical air conditioner provides optimal comfort in all weather conditions.

This model features a sturdy and weather-resistant construction, thanks to the presence of high-quality materials that ensure long service life. The Webasto BlueCool S-13 nautical air conditioner is equipped with advanced technology that allows for precise temperature and airflow speed adjustment, ensuring a personalized climate control experience.

The Webasto Bluecool S-13 marine air conditioner is the ideal way to keep ambient cool and clean on boats with advanced technology designed to deliver reliable performance over time. The system features low noise levels, thanks to noise-dampening technology that minimizes all vibrations during operation and a unit design that uses high-quality materials that have been pre-selected for durability.

Webasto BlueCool S-13 nauticalr uses environmentally friendly refrigerant R410A, which has low greenhouse gas emissions and meets international environmental standards. This makes it a sustainable choice for those who want a high-quality, environmentally friendly air conditioning system.

Excellent webasto air conditioner the best solution for great efficiency.



---

**The Webasto BlueCool S-13 comes complete with:**

electronics

blower

Touch Screen remote panel with 4.5 m cable

**TECHNICAL FEATURES WEBASTO BLUECOOL S-13**

Cooling capacity: 13000 BTU/h / 3800 W

Heating capacity: 13000 BTU/h / 3800 W

Power Supply Voltage: 230V

Frequency: 50 / 60 Hz

Operating current consumption: 3.6 / 7.1 A

Fan speed: 500 m<sup>3</sup>/h

Air outlet grille: 250 cm<sup>2</sup>

Air inlet grille: 550 cm<sup>2</sup>

Fan connection: 125 mm

∅ seawater connection: 3/4"

Minimum sea water flow rate: 12 l/m

Maximum allowable ambient temperature: 40 °C

Refrigerant: R410a

Refrigerant quantity: 550 g

Width: 500 mm

Depth: 350 mm

Height: 320 mm

Net weight: 27 Kg

Looking for a product with different WEBASTO technical characteristics? Here you can find the area dedicated to nautical air conditioners WEBASTO or other specialized brands.

Images and technical data are not binding.

**Product features:**

Phase: Single phase

Frequency (Hz): 50

Voltage (V): 230

Refrigerating yield: 13000 BTU/h / 3800W

Heating power: 13000 BTU/h / 3800 W

Absorbed average current, refrigerating (A): 3.6 / 7.1

Maximum air flow rate (m<sup>3</sup>/h): 500

Length (mm): 500

Width (mm): 350

Height (mm): 320



---

Product type: Air conditioner  
Coolant: R410A  
Weight (Kg): 27