

# WEBASTO BLUECOOL S-16 SINGLE-BLOCK NAUTICAL AIR CONDITIONER 16000 BTU/h



**Product price:**

**2.766,37 € tax excluded**

## **Product description:**

WEBASTO BLUECOOL S-16 SINGLE-BLOCK NAUTICAL AIR CONDITIONER 16000 BTU/h

Webasto BlueCool S-16 is a nautical air conditioner in a monoblock unit suitable for use on boats, with a rated cooling capacity of 16000 BTU/h.

The Webasto S-16 marine air conditioner comes with a complete system, which includes the electronics, blower, and Touch Screen remote panel with a 4.5-meter cable.

The Webasto BlueCool S-16 is a nautical air conditioner designed to provide an effective and reliable solution for indoor air conditioning in boats. Thanks to its cooling capacity, the air conditioner ensures optimal comfort in all weather conditions.

The BlueCool S-16 is built with materials that are resistant to UV rays and marine corrosion to ensure a longer service life. Its compactness, light weight and ease of use make it an ideal option for boats seeking a comfortable climate and high energy efficiency.

The Webasto Bluecool S-16 marine air conditioner is the ideal way to keep ambient air cool and clean on boats with advanced technology designed to deliver reliable performance over time. The system features low noise levels, thanks to noise-dampening technology that minimizes all vibrations during operation and a unit design that uses high-quality materials that have been pre-selected for durability.

Webasto BlueCool S-16 uses environmentally friendly refrigerant R410A, which has low greenhouse gas emissions and meets international environmental standards. This makes it a sustainable choice for those who want a high-quality, environmentally friendly air conditioning

system.

The Webasto BlueCool S-16 comes complete with:

electronics

blower

Touch Screen remote panel with 4.5 m cable

#### TECHNICAL FEATURES WEBASTO BLUECOOL S-16

Cooling capacity: 16000 BTU/h / 4700 W

Heating capacity: 16000 BTU/h / 4700 W

Power Supply Voltage: 230V

Frequency: 50 / 60 Hz

Operating current consumption: 4.9 / 7.1 A

Fan speed: 625 m<sup>3</sup>/h

Air outlet grille: 390 cm<sup>2</sup>

Air inlet grille: 800 cm<sup>2</sup>

Fan connection: 125 mm

Ø seawater connection: 3/4"

Minimum seawater flow rate: 14 l/m

Maximum allowable ambient temperature: 40 °C

Refrigerant: R410a

Refrigerant quantity: 550 g

Width: 540 mm

Depth: 350 mm

Height: 370 mm

Net weight: 31 Kg

Looking for a product with different technical characteristics? Here you can find the area dedicated to nautical air conditioners WEBASTO or other specialized brands.

Images and technical data are not binding.

#### Product features:

Phase: Single phase

Frequency (Hz): 50

Voltage (V): 230

Refrigerating yield: 16000 BTU/h / 4700W

Heating power: 16000 BTU/h / 4700W

Absorbed average current, refrigerating (A): 3.6 / 7.1

Maximum air flow rate (m<sup>3</sup>/h): 625

Length (mm):

Width (mm):

Height (mm): 370

Product type: Air conditioner

Coolant: R410A

Weight (Kg): 31