



# ECOFLOW POWERSTREAM DELTA PRO BALCONY SOLAR SYSTEM



**Product price:**

**3.786,88 € tax excluded**

## **Product description:**

### ECOFLOW POWERSTREAM DELTA PRO BALCONY SOLAR SYSTEM

EcoFlow PowerStream Delta Pro is a balcony photovoltaic system that allows for significant energy savings, independence from the grid, and real-time monitoring.

The EcoFlow PowerStream balcony photovoltaic system is an innovative solution that maximizes the use of solar energy to reduce bills and increase your independence from the electrical grid. EcoFlow PowerStream combines a photovoltaic installation with a portable powerstation that stores excess energy during the day for nighttime use.

With a power supply of up to 1039 kWh per year, EcoFlow PowerStream can generate a maximum energy savings of €415 per year. Compared to other battery-less domestic photovoltaic systems, the savings on bills can be up to 3.5 times higher. Additionally, during power outages, the portable powerstation provides emergency supplied essential devices and high-consumption appliances such as washing machines.

The kit is supplied complete with the EcoFlow Delta Pro portable battery. For all product information, we invite you to view the complete specification sheet by clicking [HERE](#).

The PowerStream system is compatible with EcoFlow portable powerstations and can be easily monitored and optimized through the EcoFlow Smart Plug app. This allows you to track accumulated solar energy, saved money, and control connected devices with a simple click. The EcoFlow Smart Plug monitors real-time power consumption of appliances and enables the microinverter to efficiently allocate energy, prioritizing domestic use during peak hours.

The Smart Plugs are compatible with major smart utilities such as Apple, Amazon, Google, and Samsung, and can be seamlessly integrated. Additionally, the installation of the photovoltaic





system is simple and does not require wall drilling thanks to the ultra-flat cable designed for easy and uncomplicated mounting.

The supply of the EcoFlow PowerStream Delta Pro Kit includes:

- Delta Pro portable battery
- 800-watt solar panels (2 x 400W) + mounting kit
- Microinverter
- 2 Smart Plugs for monitoring and distributing power
- Connection cables

TECHNICAL SPECIFICATIONS ECOFLOW POWERSTREAM:

### **Microinverter**

Protection Class: IP67

Communication: Wi-Fi and Bluetooth

Max PV input power: 400W x 2

DC Input: 600W

AC Output connected to the grid: 800W

Max AC output current: 3.7A

Dimensions: 242 x 169 x 33 mm

Weight: Approximately 3 kg

### **Delta Pro**

Power: 3.6 KW continuous, 7.2 KW peak

Capacity: 3600 Wh

Cell Type: LFP

Cycle Life: 3500 cycles

Width: 635 mm

Length: 285 mm

Height: 416 mm

Weight: 44.9 kg

### **Smart Plug**

Wi-Fi Frequency Range (20M/40M): 2412 – 2472 MHz / 2422 – 2462 MHz

Wi-Fi Max Output: ?20 dBm

Bluetooth Frequency Range: 2402 – 2480 MHz

Bluetooth Max Output: ?20 dBm

Dimensions: 53 x 53 x 79 mm

Weight: 113 g

### **400W Solar Panel**

Efficiency: 23%

Nominal Power: 400 W

Cell Type: Monocrystalline



Protection Class: IP68

Short Circuit Current: 13.79A

Open Circuit Voltage: 37.10V

Dimensions: 172.2 × 113.4 × 3.5 cm

Net Weight: 21.8 kg

Looking for a product with different technical specifications? [HERE](#) you can find the dedicated section for ECOFLOW cogeneration systems or other specialized brands.

Images and technical data are not binding and are subject to revisions by the manufacturer.

**Product features:**

Phase: Single phase

Maximum power single phase (KW): 7.2

Continuous power single phase (KW): 3.6

Battery capacity (Wh): 3600

Video: tny5VFMCMrE