

WEBASTO BLUECOOL S-27 SINGLE-BLOCK NAUTICAL AIR CONDITIONER 27000 BTU/h



Product price:

3.917,99 € tax excluded

Product description:

WEBASTO BLUECOOL S-27 SINGLE-BLOCK NAUTICAL AIR CONDITIONER 27000 BTU/h

Webasto BlueCool S-27 is a nautical air conditioner in a monoblock unit suitable for use on boats, with a rated cooling capacity of 27000 BTU/h.

The Webasto BlueCool S-27 is a nautical air conditioner designed to provide an effective and reliable solution for indoor boat air conditioning. With its cooling capacity, the air conditioner ensures optimal comfort in all weather conditions.

The BlueCool S-27 is constructed from materials that are resistant to UV rays and marine corrosion in order to ensure durability. Its compactness, light weight and ease of use make it an ideal option for boats seeking a comfortable climate and high energy efficiency.

The Webasto BlueCool S-27 marine air conditioner is the ideal way to keep ambient air cool and clean on boats, thanks to advanced technology designed to deliver reliable performance over time. The system features low noise levels, thanks to noise-dampening technology that minimizes vibration during operation, and a unit design that uses specially selected high-quality materials to ensure long life.

The Webasto BlueCool S-27 uses environmentally friendly refrigerant R410A, which features low greenhouse gas emissions and meets international environmental standards. This makes it a sustainable choice for those who want a high-quality, environmentally friendly air conditioning system.

The Webasto BlueCool S-27 comes complete with:



Including external Arias temperature probe

Control panel with plate

Air filter

Air conditioning unit

Installation/instruction manual

Control box

Stops/Fasteners

Cabin thermosensor

Cable for control panel

TECHNICAL CHARACTERISTICS WEBASTO BLUECOOL S-27

Cooling capacity: 27000 BTU/h / 7900 W

Heating Capacity: 27000 BTU/h / 7900 W

Power Supply Voltage: 230V

Frequency: 50 / 60 Hz

Operating current consumption: 7.0 / 10.5 A

Fan Speed: 2 X 550 m³/h

Fan connection: 2 x 125 mm

∅ sea water connection: 3/4"

Minimum seawater flow rate: 21 l/m

Max. permissible ambient temperature: 40 °C

Refrigerant: R410a

Width: 575 mm

Depth: 515 mm

Height: 410 mm

Net weight: 46 kg

Looking for a product with different technical characteristics? Here you can find the area dedicated to nautical air conditioners WEBASTO or other specialized brands.

Images and technical data are not binding.





Product features:

Phase: Single phase

Frequency (Hz): 50

Voltage (V): 230

Refrigerating yield: 27000 BTU/h / 7900W

Heating power: 27000 BTU/h / 7900W

Absorbed average current, refrigerating (A): 7.0 / 10.5 A

Maximum air flow rate (m³/h): 2 x 550

Length (mm): 575

Width (mm): 515

Height (mm): 410

Product type: Air conditioner

Coolant: R410A

Weight (Kg): 46

