

# PRAMAC P14000 GENERATOR 13KVA SINGLE PHASE STAGE V



**Product price:**

**9.870,00 € tax excluded**

## **Product description:**

PRAMAC P14000 GENERATOR 13KVA SINGLE PHASE STAGE V

Pramac P14000 single-phase generator equipped with Yanmar 3TNM74F NHPGE StageV Diesel engine, and is capable of delivering a maximum power output of 13 KVA.

The PRAMAC P14000 offers several quality features to meet power supply needs. Due to its low noise level, it is particularly suitable for use in residential areas or non-working hours, ensuring quiet operation.

The Yanmar 3TNM74FNHPGE engine has a StageV exhaust emission level, ensuring environmentally friendly operation that meets environmental standards. The water cooling system ensures effective heat dissipation, keeping the engine in optimal operating condition.

The PRAMAC P14000 is designed with a focus on ease of operation and maintenance. The sturdy steel support frame, equipped with anti-vibration mounts, ensures optimum stability and durability. The sealed base offers easy access for forklift forcing and increased autonomy thanks to the 51-liter fuel tank. Maintenance is simplified with access to components via roof opening and dedicated side hatch.

The PRAMAC P14000 generator has built-in protections to ensure safe and reliable operation. Protections include overload, high current and voltage, high coolant temperature, low oil pressure, and low fuel level. In addition, there are SCHUKO and CEE power outlets for easy and safe connection of electrical devices.

## **ATS AUTHOMATIC TRANSFER SWITCH (OPTIONAL)**

The genset is prepared for the use of Authomatic Transfer Switch ATS. Thanks to which you will no longer have to worry about blackouts because if the power grid goes out, this panel can automatically start the generator and allow you to continue your activity without losing your work

data.

## EMISSION REGULATIONS STAGEV

PRAMAC P14000 is equipped with STAGEV "mobile" motorization, as required by European Regulation 2016/1628. These new motorizations make it possible to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator to the environment, and ensure a 200% reduction in environmental impact compared to standard motorizations.

## TECHNICAL FEATURES PRAMAC P14000

Phase Type: Single Phase

Continuous Power: 11.88 KVA / 10.69 KW

Maximum Power: 12.96 KVA / 11.66 KW

VAC Voltage: 230 V

Frequency (Hz): 50

Voltage Regulator: Capacitor (AVR Optional)

Starter: Electric

Engine: Yanmar 3TNM74F NHPGE

RPM RPM: 3000

Emission standard: Stage V

Power supply: Diesel

Socket panel: 1 x Schuko 230V 16A - 1 x CEE 230V 16A 2P - 2 x CEE 230V 32A 3P

Tank capacity: 51 l

Consumption @ 75 % of load: 3.28 l/h

Autonomy @ 50 % of load: 15.55 h

Acoustic pressure: 66 dB(A) @ 7m

Length: 1500 mm

Width: 754 mm

Height: 1032 mm

Net weight: 425 kg

Looking for a genset with different technical characteristics? [HERE](#) you can find the area dedicated to Pramac gensets or other specialized brands.

Images are purely indicative.

### Product features:

Phase: Single phase

Maximum power single phase (KW): 11.6

Continuous power single phase (KW): 10.6

---

Maximum power single phase (KVA): 12.9  
Continuous power single phase (KVA): 11.8  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 1 x Schuko 230V 16A - 1 x CEE 230V 16A 2P - 2 x CEE 230V 32A 3P  
Engine: Yanmar 3TNM74F NHPGE  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000  
Speed governor: Mechanical  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 993  
Oil capacity (L): 3.4  
Cooling: Water  
Alternator: Brushless  
Poles: 2  
Fuel tank capacity (L): 51  
Consumption (L/h): 3.28 at 75% load  
Running time (h): 15.55 at 75% load  
Acoustic power: 95 dB(A)  
Acoustic pressure: 66 dB(A) at 7 m  
Length (mm): 1500  
Width (mm): 754  
Height (mm): 1035  
Dry weight (Kg): 425  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
ATS Switch device : Optional  
Voltage regulator: Capacitor / AVR (optional)  
Engine manufacturer: Yanmar