

# GENERATOR 10 KVA SUPER SILENCED SINGLE PHASE STAGEV



**Product price:**

**6.440,00 € tax excluded**

## **Product description:**

### **GENERATOR 10 KVA SUPERSILENCED SINGLE PHASE STAGEV**

The Generator single phase is equipped with Kubota D1105 STAGEV engine with Diesel power supply, able to deliver a power of 10 KVA.

This generator is equipped with electric start, with 12 V battery and enclosure that lowers noise emissions and makes it supersilenced.

The group is equipped with a soundproof cabin, thanks to which there is a drastic reduction of noise pollution up to 70 dB recorded at a distance of 7 meters, thanks to these features the group can be considered super silenced.

The generator guarantees efficient and silent operation thanks to the Kubota D1105 engine, which can deliver a maximum power of 10KVA.

The generator includes:

- Automatic engine stop device with warning lights for:
  - battery charge failure
  - high water temperature
  - low fuel level
  - low oil pressure
- 1 single-phase EEC 230V - 32A socket
- 1 single-phase 230V socket
- 12 V battery
- Power output protections
- Differential switch
- Voltmeter
- Hour meter

- Emergency stop button
- Fork passage

## STAGEV EMISSION STANDARDS

This Generator is equipped with STAGEV "mobile" motorization, as required by the European Regulation 2016/1628. These new motorizations allow to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator into the environment, and ensure a reduction in environmental impact of 200% compared to standard motorizations.

## TECHNICAL FEATURES

Phase Type: Single-Phase  
Maximum Single-Phase Power: 10 KVA / 8 KW  
Continuous Single-Phase Power: 9 KVA / 7.2 KW  
VAC Voltage: 230 V  
Frequency (Hz): 50  
Starting Frame: Electric  
Engine: Kubota D1105  
Emissions Standard: STAGE V  
RPM: 1500  
Power supply: Diesel  
Fuel tank capacity: 40 l  
Consumption @ 75 % load: 2 l/h  
Autonomy @ 75 % load: 20 h  
Acoustic pressure: 95 dB(A)  
Length: 1357 mm  
Width: 707 mm  
Height: 942 mm  
Net weight: 350 Kg

Are you looking for a generating set with different technical characteristics? [HERE](#) you can find the area dedicated to generating sets of specialized brands.

Images and technical data are not binding.

### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 8  
Continuous power single phase (KW): 7.2  
Maximum power single phase (KVA): 10  
Continuous power single phase (KVA): 9

---

Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 1 x 230V 32A  
Engine: Kubota D1105  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 1500  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 1123  
Number cylinders: 3  
Cooling: Water  
Alternator: Synchronous  
Protection degree: IP23  
Motor insulation class: H  
Fuel tank capacity (L): 40  
Consumption (L/h): 2 at 75% of the load  
Running time (h): 20 at 75% of the load  
Acoustic power: 95 dB(A)  
Acoustic pressure: 70 dB(A) at 7 m  
Length (mm): 1357  
Width (mm): 707  
Height (mm): 942  
Dry weight (Kg): 350  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
Voltage regulator: Capacitor  
Engine manufacturer: Kubota