



# HYUNDAI GENERATOR DYNAMIC 5,8KW SINGLE- PHASE STAGE 5

Product price:

**549,09 € tax excluded**

## Product description:

Hyundai Dynamic Generator 5.8kW Single-phase Stage 5

Hyundai Dynamic Generator 5.8kW Single-phase Stage5: reliability for your needs

The Hyundai Dynamic 5.8kW Single Phase Stage 5 is a versatile and powerful model,

ideal for providing power in a variety of situations. With a maximum output of 5.8kW and a continuous output of 3.0 kW,

this generator is perfect for powering tools, household appliances and lights during emergencies,

DIY work or outdoor activities.

## *Hyundai Dynamic Generator* **Key features:**

Hyundai 212 cc 4-stroke petrol engine: powerful, reliable and complies with Stage 5 emissions regulations.

Manual recoil start: simple and safe.

AVR voltage stabiliser: guarantees a stable and precise voltage output, protecting connected devices from voltage fluctuations.

Dual 16A sockets: for connecting several devices at the same time.

Overload indicator and low oil level indicator: for safe and reliable use.

Analogue voltmeter: for monitoring the output voltage.





12V socket: for charging batteries and powering low-voltage devices.

Reinforced anti-corrosion frame with wheels: for easy transport and longer life.

Hyundai Dynamic Generator Advantages:

Powerful and versatile: suitable for various applications.

Reliable and safe: with manual start system and integrated guards.

Easy to use and transport: thanks to wheeled chassis.

Durable: with anti-corrosion frame

and alternator with copper winding.

When darkness falls or the grid fails, don't panic. The Hyundai Dynamic 5.8kW

Stage 5 single-phase is your faithful ally, ready to unleash unstoppable power to performance your needs.

### **Technical Specifications Hyundai Dynamic 5.8kW Single-phase Stage 5 Generator:**

Maximum Single-phase performance: 5.8 KW

Single-phase continuous performance: 5.5 KW

Fuel: Petrol

Voltage: 230 V

Frequency: 50 HZ

Starter: Manual recoil

socket: 12 V

Autonomy 50% of load: 8h

sockets: 1X6A - 1X32A

Dimensions: 610x480x510 mm

Net weight: 76 Kg

Gross weight: 78 Kg

AVR

Displacement: 389 cc

Power: 13 HP

Noise level at 7 m: 76 dBA

If you are looking for a product with similar characteristics to HYUNDAI GENERATOR DYNAMIC click [HERE](#).

Images and technical data are purely indicative.





---

**Product features:**

Phase: Single phase

Maximum power single phase (KW): 5.8

Continuous power single phase (KW): 5.5

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1X6A - 1X32A

Emissions Regulations: Stage 5

Starting system: Manual recoil

Engine capacity (cm<sup>3</sup>): 389

Weight (Kg): 76

