

Ø.

# PRAMAC GBW10Y GENSET WITH AUTOMATIC CONTROL PANEL

Product price:

## 8.778,75 € tax excluded

#### Product description:

PRAMAC GBW10Y ACP Three-phase Generator, 7.4 KW, Super Silent.

PRAMAC GBW10Y three-phase generator, 7.4 KW, diesel engine at 1500 rpm. It features electric start and a brush alternator with compound voltage regulator. The Yanmar diesel engine ensures high reliability. Thanks to its casing, this generator is super silent. Suitable for outdoor use in construction sites or small professional tasks.

#### **Technical specifications:**

- Max power: 7.47 KW
- Continuous power: 6.81 KW
- Fuel: Diesel
- Voltage: 400 V
- Frequency: 50 Hz
- Engine: Yanmar 3TNV80F-NGPGE STAGE V
- Starter: Electric
- Consumption: 2.6 Lt/h at 100% load
- Dimensions: Length 1645 mm, Width 870 mm, Height 1072 mm
- Weight: 460 Kg
- Compound

### Automatic Control Panel (ACP):

Integrated panel connected to the generator with a microprocessor control module. Features direct switching control terminal (ACP).

R



- Outlet: N.1 3P+N+T CEE 400V 32A

The PRAMAC GBW10Y generator is a professional diesel generator developed by Pramac with superior features. It's quiet, making it ideal for residential areas or non-working hours. Equipped with a reliable diesel engine and high-quality components.

If you're looking for a three-phase generator like the GBW10Y, explore our range of land-based generators to find one that suits your needs.

Images and technical data are indicative.

#### Product features:

Phase: Three phase Maximum power three phase (KW): 7.47 Continuous power three phase (KW): 6.81 Maximum power three phase (KVA): 9.34 Continuous power three phase (KVA): 8.51 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 400 Sockets configuration: 1 x 400V 32A 3P+N+T CEE **Emissions Regulations: Stage 5** Speed governor: Mechanical Starting system: Electric Engine capacity (cm<sup>3</sup>): 1116 Number cylinders: 3 Cylinders' position: In line Oil capacity (L): 3.5 Cooling: Water Alternator: Linz E1S13SB , with brushes Poles: 4 Fuel tank capacity (L): 51 Consumption (L/h): 2 at 75% of the load / 2.6 at 100% of the load Running time (h): 25.6 at 75% of the load / 19.2 at 100% of the load Acoustic power: 93 dB(A) Acoustic pressure: 64 dB(A) at 7 m Length (mm): 1645 Width (mm): 870 Height (mm): 1072 Dry weight (Kg): 460

Silenced: Yes Super silenced: Yes Product type: Generator ATS Switch device : Optional Voltage regulator: Compound Engine manufacturer: Yanmar

R