

PRAMAC GBW10Y GENSET WITH AUTOMATIC CONTROL PANEL



Product price:

8.778,75 € tax excluded

Product description:

PRAMAC GBW10Y ACP Three-phase Generator, 7.4 KW, Super Silent.

PRAMAC GBW10Y three-phase generator, 7.4 KW, diesel engine at 1500 rpm. It features electric start and a brush alternator with compound voltage regulator. The Yanmar diesel engine ensures high reliability. Thanks to its casing, this generator is super silent. Suitable for outdoor use in construction sites or small professional tasks.

Technical specifications:

- Max power: 7.47 KW
- Continuous power: 6.81 KW
- Fuel: Diesel
- Voltage: 400 V
- Frequency: 50 Hz
- Engine: Yanmar 3TNV80F-NGPGE STAGE V
- Starter: Electric
- Consumption: 2.6 Lt/h at 100% load
- Dimensions: Length 1645 mm, Width 870 mm, Height 1072 mm
- Weight: 460 Kg
- Compound

Automatic Control Panel (ACP):

Integrated panel connected to the generator with a microprocessor control module. Features direct switching control terminal (ACP).



- Outlet: N.1 3P+N+T CEE 400V 32A

The PRAMAC GBW10Y generator is a professional diesel generator developed by Pramac with superior features. It's quiet, making it ideal for residential areas or non-working hours. Equipped with a reliable diesel engine and high-quality components.

If you're looking for a three-phase generator like the GBW10Y, explore our range of land-based generators to find one that suits your needs.

Images and technical data are indicative.

Product features:

Phase: Three phase

Maximum power three phase (KW): 7.47

Continuous power three phase (KW): 6.81

Maximum power three phase (KVA): 9.34

Continuous power three phase (KVA): 8.51

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400

Sockets configuration: 1 x 400V 32A 3P+N+T CEE

Emissions Regulations: Stage 5

Speed governor: Mechanical

Starting system: Electric

Engine capacity (cm³): 1116

Number cylinders: 3

Cylinders' position: In line

Oil capacity (L): 3.5

Cooling: Water

Alternator: Linz E1S13SB , with brushes

Poles: 4

Fuel tank capacity (L): 51

Consumption (L/h): 2 at 75% of the load / 2.6 at 100% of the load

Running time (h): 25.6 at 75% of the load / 19.2 at 100% of the load

Acoustic power: 93 dB(A)

Acoustic pressure: 64 dB(A) at 7 m

Length (mm): 1645

Width (mm): 870

Height (mm): 1072

Dry weight (Kg): 460



Silenced: Yes

Super silenced: Yes

Product type: Generator

ATS Switch device : Optional

Voltage regulator: Compound

Engine manufacturer: Yanmar