



# BM2 STX 20015 High Pressure Washer 200 bar



Product price:

**3.425,85 € tax excluded**

## Product description:

### BM2 STX 20015 HIGH PRESSURE WASHER 200 BAR

The BM2 STX 20015 High Pressure Washer, with a maximum pressure of 200 bar, represents the pinnacle of innovation in the high-pressure cleaning equipment sector. Equipped with prestigious BM2 STX 20015 200 bar pumps, featuring ceramic pistons and brass head, it delivers a constant and powerful flow to effectively tackle any dirt.

The 1450 rpm motor ensures consistent power and extended durability, while the AISI 430 stainless steel cover protects against corrosion and atmospheric agents.

Thanks to the motor/pump coupling protection system and pressure regulation valve, the BM2 STX 20015 provides safe operation and precise flow adjustment. The integrated boiler, with over 89% efficiency, ensures effective cleaning even in the most stubborn conditions. Pre-ventilation and leakage control guarantee safe and efficient use, minimizing energy and water consumption.

The ergonomic design of the BM2 STX 20015, with a front bumper-handle and free-wheeling, pivoting wheels with brakes, makes this pressure washer easy to maneuver in any environment. Additionally, the motor's thermal protection ensures safe and reliable operation even in extreme conditions.

The BM2 STX 20015 200 bar is equipped with numerous advanced features, including LED notification for low diesel with boiler shutdown and automatic shutdown after 20 minutes of inactivity. With a 35-liter tank capacity and a length



of 956 mm,  
this pressure washer offers high performance in a compact and versatile design.

In conclusion, the BM2 STX 20015 is the ideal choice for industry professionals and enthusiasts, thanks to its high performance, reliability, and user-friendly design. With a maximum pressure of 200 bar and a maximum flow rate of 900 Lt./h, it's ready to tackle any cleaning challenge with ease and precision.

### **Technical Features BM2 STX 20015:**

Phase type: Three-phase  
Supply voltage: 400 V  
Frequency: 50 Hz  
Maximum pressure: 200 bar - 20 Mpa - 2900 psi  
Maximum flow rate: 900 Lt./h  
Pump: IP E2  
Shutoff System: ACDS  
Pump rotation: 1450 rpm  
Maximum power consumption: 6.5 KW  
Power supply: 400 V - 3ph - 50 Hz  
Maximum temperature: 140 °C  
Tank capacity: 35 lt  
Detergent tank capacity: 3 lt  
Length: 956 mm.  
Width: 610 mm.  
Height: 940 mm.  
Weight: 148 kg.

BM2

Are you looking for a pressure washer with different characteristics? [HERE](#) you can find the entire BM2 range or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

### **Product features:**

Phase: Three phase  
Fuel: Diesel  
Frequency (Hz): 50

---

Voltage (V): 400  
Pump type: IP E2  
Maximum output capacity (Lt/min): 900  
Tank capacity (L): 35  
Transportability: Wheels and handles  
Length (mm): 956  
Width (mm): 610  
Height (mm): 940  
Dry weight (Kg): 148  
Feed Type: 400V - 3ph - 50Hz  
maximum water temperature (°C): 140  
Maximum input power (KW): 6.5  
Pump rotation (rpm): 1450  
Maximum pressure (bar-MPa-psi): 200 - 20 - 2900  
Stop system: ACDS  
Detergent tank: 3