

NO

# GENSET MGF 44 Y - SING LE-PHASE/THREE-PHASE GENERATOR 44 KVA AVR STAGE V

Product price:

## 17.600,00 € tax excluded

#### **Product description:**

GENSET MGF 44 Y - SINGLE-PHASE/THREE-PHASE GENERATOR 44 KVA AVR STAGE V

The GENSET MGF 44 Y is a three-phase 44 KVA diesel genset designed to provide reliable and quiet power in a wide range of applications.

#### Main features:

Maximum three-phase power: 44 KVA (35.2 kW)

Single-phase maximum power: 14.7 KVA (11.76 kW)

Yanmar 4TNV98T (STAGE 0) engine: Reliable, high-performance, liquid-cooled 4-cylinder diesel engine complying with STAGE 0 emission standards.

Electric start: Quick and easy starting with key.

Efficient consumption: Low fuel consumption (8.1 Lt/h) for optimum range.

Super silent: Soundproof design for silent operation (AVR).

Robust construction: Compact and robust design for easy transport and storage.

### **Technical specifications GENSET MGF 44 Y STAGE V:**

Fuel: Diesel Voltage: 400 V - 230 V Frequency: 50 Hz

PrestaShop

(R)

Dimensions: Length: 1640 mm Width: 770 mm Height: 1076 mm Tank: 40 I Weight: 725 Kg

Ø.

If you are looking for a product similar to GENSET MGF 44 Y or with similar characteristics click HERE.

Images and technical data are not binding.

#### Product features:

Phase: Three phase Maximum power single phase (KW): 11.76 Maximum power single phase (KVA): 14.7 Maximum power three phase (KW): 35.2 Maximum power three phase (KVA): 44 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 400/230 Sockets configuration: 1 x 400V 16A CEE - 1 x 400V 63A CEE - 2 x 230V 16A CEE Engine: Yanmar 4TNV98T, 4 stroke turbocharged **Emissions Regulations: Stage 5** Engine rpm (rpm): 1500 Starting system: Electric Engine capacity (cm<sup>3</sup>): 3319 Number cylinders: 4 Cooling: Water Alternator: Synchronous Protection degree: IP23 Motor insulation class: H Fuel tank capacity (L): 40 Consumption (L/h): 8.1 Running time (h): 4.94 Acoustic power: 97 dB(A) Acoustic pressure: 72 dB(A) at 7 m Length (mm): 1640 Width (mm): 770 Height (mm): 1076 Dry weight (Kg): 725

Silenced: Yes Super silenced: Yes Product type: Generator ATS Switch device : Optional Voltage regulator: AVR Engine manufacturer: Yanmar

R